



Summary

VIN:1HTMNAAL0DH177742			
General Information			
Customer Name:	Hogan Truck Leasing 1000 N. 14th Street St. Louis, MO 63106	Engine :	International : MAXXFORCE DT 215HP/2400 GOV EPA 2010, 215HP @ 2200 RPM, 560 lb-ft Torque @ 1300 RPM, 2400 RPM Governed Speed, 215 Peak HP (Max) (0012NUK)
Application:	Dry Van	Model:	4300 SBA LP 4X2
		Engine Serial Number:	466HM2Y3419504
Contact Name:	<input type="text" value="v"/>	Unit No:	132003 Edit
Position:		Inspection Exp:	
Phone Number:		Notes:	No
Email Address:			
Customer ID:			
Contact Type:			
		OCC Authorization Form :	N/A
Warranty Information			
Order Date:	01/11/2012	DTU Status:	DTU
Build Date:	02/24/2012	DTU Miles:	10 Miles
Warranty Start Date:	08/23/2012	Standard Warranty:	CTS-2475N ENGLISH <input type="text" value="v"/> View
Time In Service:	8 Years 7 Months	Diamond Spec:	No
DTU Engine Hours:	0	DTU Fuel Used:	0.
Extended Warranty Coverage:	Expired: N3329G MFD T&MF9 +EE-INJ 7200 HRS (60 Months / 200000 Miles / 320000 KM) End Date : 08/23/2017 End Hours : 0		
Managed Repair Information 			
Open Recalls:	No	Open AFCs:	1. 12913 2010 EMISSIONS MAXXFORCE DT/9/10 RECALIBRATION(Expired)
Open MRCs:	No	Open FSC:	No
Calibration Status			
BCM Status:	Vehicle Calibration Scorecard		

Electronic Feature(s): [Vehicle Calibration Scorecard](#)

Details

Vehicle Information			
VIN :	1HTMNAAL0DH177742	Order Date :	01/11/2012
Model :	4300 SBA LP 4X2	Build Date :	02/24/2012
Engine :		DTU Date :	02/29/2012
Application Family :	Van	Warranty Start Date :	08/23/2012
Application :	Dry Van	DTU Status :	DTU
Wheel Base :	254.0	DTU Odometer :	10 Miles
DTU Engine Hours :	0	DTU Fuel Used :	0.
GVWR :	25999	Original Gear Ratio :	433
PC Number :	220226026	 Programmed Gear Ratio :	433 As Of: 12/01/2016
Paint Color Code :	9219	Order Number :	639185
Selling Dealer :	NAVISTAR, INC. (000649-000)	 After Frame :	96.5
Customer :	Hogan Truck Leasing	Original Customer :	HOGAN TRUCK LEASING, INC.
Address :	1000 N. 14th Street	Address :	85 CORPORATE WOODS DRIVE
City, State Zip :	St. Louis, MO 63106	City, State Zip :	BRIDGETON, MO 63044
Toe (MM/M)	N/A		
Forward Rear / Scrub (MM/M)	N/A		
Rear Rear / Thrust (MM/M)	N/A		

Components

Components			
VIN : 1HTMNAAL0DH177742		176 components found. <input type="button" value="Export"/>	
S.No	Class Description	Parts Catalog Component	Description
1	FRAMES	0001CAA	FRAME RAILS High Strength Low Alloy Steel (80,000 PSI Yield); 9.125" x 3.062" x 0.312" (231.8mm x 77.8mm x 8.0mm); with Transition to 6.500" x 3.062" x 0.312" (165.1mm x 77.8mm x 8.0mm); 388.4" (9864mm) Maximum OAL, For LP Chassis
2	FRAMES	0001LLD	BUMPER, FRONT Contoured, Steel
3	FRAMES	0001SAL	CROSSMEMBER, REAR, AF (1)
4	FRAMES	0001WEJ	WHEELBASE RANGE 199" (505cm) Through and Including 254" (645cm)
5	FRONT AXLES	0002ATL	AXLE, FRONT NON-DRIVING {Meritor MFS-09-122A} I-Beam Type, 9,000-lb Capacity

6	FRONT SUSPENSIONS	0003AGW	SUSPENSION, FRONT, SPRING Parabolic Taper Leaf, Shackle Type, 9,000-lb Capacity, with Shock Absorbers
7	FRONT SUSPENSIONS	0003770	SPRINGS, FRONT AUXILIARY Rubber
8	BRAKES	0004AZA	AIR BRAKE ABS {Bendix AntiLock Brake System} 4-Channel (4 Sensor/4 Modulator) Full Vehicle Wheel Control System
9	BRAKES	0004EBS	AIR DRYER {Bendix AD-9} with Heater
10	BRAKES	0004ESX	BRAKE CHAMBERS, FRONT AXLE {Haldex} 20 SqIn
11	BRAKES	0004EVV	BRAKE CHAMBERS, REAR AXLE {Haldex GC2430XLHD} 24/30 SqIn Spring Brake
12	BRAKES	0004JCG	BRAKES, FRONT, AIR CAM S-Cam; 15.0" x 4.0"; Includes 20 Sq. In. Long Stroke Brake Chambers
13	BRAKES	0004NCW	BRAKES, REAR, AIR CAM S-Cam; 15.0" x 8.63"; Includes 24/30 Sq. In. Long Stroke Brake Chambers and Spring Actuated Parking Brake
14	BRAKES	0004SBC	AIR COMPRESSOR {Bendix Tu-Flo 550} 13.2 CFM
15	BRAKES	0004091	BRAKE SYSTEM, AIR Dual System for Straight Truck Applications
16	STEERING	0005CAL	STEERING WHEEL 2-Spoke, 18" Dia., Black
17	STEERING	0005PSA	STEERING GEAR {Sheppard M100} Power
18	STEERING	0005708	STEERING COLUMN Tilting
19	EXHAUST SYSTEMS	0007BDA	EXHAUST SYSTEM Single, Horizontal, Aftertreatment Device, Frame Mounted Right Side Back of Cab, Includes Horizontal Tail Pipe
20	ELECTRICAL SYSTEMS	0008GGB	ALTERNATOR {Delco Remy 35SI} Brushless Type, 12 Volt 135 Amp. Capacity, Pad Mount, High Temperature
21	ELECTRICAL SYSTEMS	0008HAB	BODY BUILDER WIRING Back of Day Cab at Left Frame or Under Sleeper, Extended or Crew Cab at Left Frame; Includes Sealed Connectors for Tail/Amber Turn/Marker/ Backup/Accessory Power/Ground and Sealed Connector for Stop/Turn
22	ELECTRICAL SYSTEMS	0008MVK	BATTERY SYSTEM {Deka/EAST PENN 9A31 AGM} Maintenance-Free, (2) AGM 12-Volt 1850CCA Total, Top Threaded Stud
23	ELECTRICAL SYSTEMS	0008THB	BACK-UP ALARM Electric, 102 dBA
24	ELECTRICAL SYSTEMS	0008WBW	JUMP START STUD Remote Mounted
25	ELECTRICAL SYSTEMS	0008WCK	POWER SOURCE, TERMINAL TYPE 2-Post
	ELECTRICAL		HEADLIGHTS Halogen, Composite Aero Design, with

26	SYSTEMS	0008WPB	Daytime Running Lights
27	ELECTRICAL SYSTEMS	0008WPH	CLEARANCE/MARKER LIGHTS (5) {Truck Lite} Amber LED Lights, Flush Mounted on Cab or Sunshade
28	ELECTRICAL SYSTEMS	0008WPM	FOG LIGHTS (2) Clear, H355W Halogen, Oval
29	ELECTRICAL SYSTEMS	0008WPP	ENGINE SHUTDOWN Automatic; with 30 Second Delay, with International Engines
30	ELECTRICAL SYSTEMS	0008WPZ	TEST EXTERIOR LIGHTS Pre-Trip Inspection will Cycle all Exterior Lamps Except Back-up Lights
31	ELECTRICAL SYSTEMS	0008WRB	HEADLIGHTS ON W/WIPERS Headlights Will Automatically Turn on if Windshield Wipers are turned on
32	ELECTRICAL SYSTEMS	0008WWJ	INDICATOR, LOW COOLANT LEVEL with Audible Alarm
33	ELECTRICAL SYSTEMS	0008WXG	STARTING MOTOR {Mitsubishi Electric Automotive America 105P} 12-Volt, with Soft-Start
34	ELECTRICAL SYSTEMS	0008XAH	CIRCUIT BREAKERS Manual-Reset (Main Panel) SAE Type III with Trip Indicators, Replaces All Fuses
35	ELECTRICAL SYSTEMS	0008000	ELECTRICAL SYSTEM 12-Volt, Standard Equipment
36	ELECTRICAL SYSTEMS	0008518	CIGAR LIGHTER Includes Ash Cup
37	ELECTRICAL SYSTEMS	0008540	HORN, ELECTRIC (2) Trumpet Style
38	ELECTRICAL SYSTEMS	0008787	RADIO Accommodation Package, Less Radio, Includes Wiring and Antenna, with Multiple Speakers
39	FRONT END	0009HAD	GRILLE Chrome
40	FRONT END	0009HAN	INSULATION, UNDER HOOD for Sound Abatement
41	FRONT END	0009HBN	INSULATION, SPLASH PANELS for Sound Abatement
42	FRONT END	0009WAC	BUG SCREEN Mounted Behind Grille
43	FRONT END	0009WAY	FRONT END Tilting, Fiberglass, with Three Piece Construction
44	SPEEDOMETER, TOOLS, MISC	0010WGD	SPECIAL RATING, GVWR Limited to 25,999-lb GVWR
45	SPEEDOMETER, TOOLS, MISC	0010060	PAINT SCHEMATIC, PT-1 Single Color, Design 100
46	SPEEDOMETER, TOOLS, MISC	0010210	LABEL Emissions, Fuel Economy and Noise. DO NOT ORDER-FOR FACTORY USE ONLY
47	SPEEDOMETER, TOOLS, MISC	0010761	PAINT TYPE Base Coat/Clear Coat, 1-2 Tone
48	CLUTCH	0011001	CLUTCH Omit Item (Clutch & Control)

49	ENGINE	0012NUK	ENGINE, DIESEL {MaxxForte DT} EPA 2010, 215HP @ 2200 RPM, 560 lb-ft Torque @ 1300 RPM, 2400 RPM Governed Speed, 215 Peak HP (Max)
50	ENGINE	0012TSY	FAN DRIVE {Borg-Warner SA85} Viscous Type, Screw On
51	ENGINE	0012UAY	RADIATOR Aluminum; 2-Row, Cross Flow, Over Under System, 817 SqIn Louvered, with 262 SqIn CAC, with In Tank Oil Cooler
52	ENGINE	0012UXG	FEDERAL EMISSIONS for 2010; MaxxForte DT Engines
53	ENGINE	0012VBR	AIR CLEANER with Service Protection Element
54	ENGINE	0012VXT	THROTTLE, HAND CONTROL Engine Speed Control; Electronic, Stationary, Variable Speed; Mounted on Steering Wheel
55	ENGINE	0012WZE	EMISSION COMPLIANCE Federal, Does Not Comply with California Clean Air Idle Regulations
56	ENGINE	0012959	BLOCK HEATER, ENGINE {Phillips} 120V/1250W
57	TRANSMISSION	0013AHG	TRANSMISSION, AUTOMATIC {Allison 2100_HS} 4th Generation Controls; Close Ratio, 5-Speed, With Overdrive; Less PTO Provision, Less Retarder, With 26,000-lb GVW & GCW Max.
58	TRANSMISSION	0013WLN	TRANSMISSION OIL Synthetic; 20 thru 28 Pints
59	TRANSMISSION	0013WYL	SHIFT CONTROL PARAMETERS Allison Performance Programming in Primary and Allison Economy Programming in Secondary
60	REAR AXLES, SUSPENSIONS	0014ANP	AXLE, REAR, SINGLE {Meritor MS-17-14X-3DFL} Single Reduction, 17,500-lb Capacity, 190 Wheel Ends
61	REAR AXLES, SUSPENSIONS	0014SAM	SUSPENSION, REAR, SINGLE 20,000-lb Capacity, Vari-Rate Springs
62	REAR AXLES, SUSPENSIONS	0014WLB	AXLE, REAR, LUBE {EmGard 75W-90} Synthetic Oil; 30 thru 39.99 Pints
63	FUEL TANKS	0015DMW	FUEL TANK (2) Top Draw, Non-Polished Aluminum, D-Style, 16" Tank Depth, 50 US Gal (189L); Total Capacity 100 US Gal (378L), Mounted Left and Right Side, Under Cab
64	CABS, COWLS, BODIES	0016HBA	GAUGE CLUSTER English with English Electronic Speedometer
65	CABS, COWLS, BODIES	0016HKT	IP CLUSTER DISPLAY On Board Diagnostics Display of Fault Codes in Gauge Cluster
66	CABS, COWLS, BODIES	0016LJS	SEAT, DRIVER {National 2000} Air Suspension, High Back with Integral Headrest, Vinyl, Isolator, 1 Chamber Lumbar, 2 Position Front Cushion Adjustment, -3 to +14 Degree Seat Back Angle Adjust, Dual Shocks

67	CABS, COWLS, BODIES	0016PPN	SEAT, PASSENGER {National 2000} Air-Suspension, High Back with Integral Headrest, Vinyl, Isolator, 1 Chamber Lumbar, 2 Position Front Cushion Adjustment, Dual Shocks
68	CABS, COWLS, BODIES	0016SDT	MIRRORS (2) {Lang Mekra} Styled Rectangular, Power Adjust, Thermostatically Controlled Heated Heads, LED Clearance Lights, Black Heads, Brackets and Arms, Breakaway Type, 7" x 16", Integral Convex Both Sides, for 102" Load Width
69	CABS, COWLS, BODIES	0016WBY	ARM REST, RIGHT, DRIVER SEAT
70	CABS, COWLS, BODIES	0016WBZ	ARM REST, LEFT, PASSENGER SEAT
71	CABS, COWLS, BODIES	0016WCT	AIR CONDITIONER {Blend-Air} with Integral Heater and Defroster
72	CABS, COWLS, BODIES	0016WJS	INSTRUMENT PANEL Center Section, Flat Panel
73	CABS, COWLS, BODIES	0016WRX	CAB INTERIOR TRIM Deluxe
74	CABS, COWLS, BODIES	0016WSE	LOW WASHER FLUID INDICATOR
75	CABS, COWLS, BODIES	0016000	FLOOR COVERING Transmission Cover, Floor Mats and Seal DO NOT ORDER-FOR FACTORY USE ONLY
76	CABS, COWLS, BODIES	0016030	CAB Conventional, Day Cab
77	WHEELS, TIRES - FRONT	0027DNE	WHEELS, FRONT DISC; 19.5x7.50 Rims, Painted Steel, 5-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs
78	WHEELS, TIRES - REAR	0028DNE	WHEELS, REAR DUAL DISC; 19.5x7.50 Rims, Painted Steel, 5-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs
79	WHEELS MISC OPTIONS	0029WLA	WHEEL BEARING, FRONT, LUBE {EmGard 50W} Synthetic Oil
80	WHEELS MISC OPTIONS	0029580	WHEEL SEALS, FRONT {International} Oil-Lubricated Wheel Bearings
81	WARRANTY	0040DTY	SRV CONTRACT, EXT ENGINE {Navistar 2007 & 2010 EPA} To 60-Month/200,000 Miles (320,000 km), 7200 Hours; Includes Engine, Engine Electronics, Less Injectors; for MaxxForce DT & MaxxForce 9 Engines
82	WARRANTY	0040024	WARRANTY Medium Duty Standard 24 Month
83		0459DTA	*** ERROR GETTING DECSRIPTION: SQLCODE = +00100
			*** ERROR GETTING DECSRIPTION: SQLCODE =

84		0459DTD	+00100
85		0459DTL	*** ERROR GETTING DECSRIPTION: SQLCODE = +00100
86	MISC	0504057	AIR TANK VOLUME IDENTITY Nominal 3484 CuIn System Capacity
87	SPEEDOMETER, TOOLS, MISC	0504104	ENGINEERING ABS IDENTITY ABS-6
88	BRAKES	0504200	DRAIN VALVE (3) Petcocks, for Air Tanks
89	BRAKES	0504306	SLACK ADJUSTERS, FRONT {Meritor} Automatic
90	BRAKES	0504355	SLACK ADJUSTERS, REAR {Meritor} Automatic
91	BRAKES	0504360	AIR TANK Steel, with Straight Thread O-Ring Ports
92	BRAKES	0504396	AIR DRYER LOCATION Mounted Inside Left Rail, Back of Cab
93	BRAKES	0504438	BRAKE LININGS, FRONT {Meritor MA212} Non-Asbestos for S-Cam Brake
94	BRAKES	0504439	BRAKE LININGS, REAR {Meritor MA212} Non-Asbestos for S-Cam Brake
95	BRAKES	0504441	BRAKE IDENTITY, FRONT {Meritor Q-Plus}
96	BRAKES	0504442	BRAKE IDENTITY, REAR {Meritor Q-Plus}
97	BRAKES	0504605	AIR TANK LOCATION (2) Mounted Under Battery Box, Outside Left Rail, Back of Cab
98	DRIVELINES	0506001	YOKE, TRANSMISSION OUTPUT
99	DRIVELINES	0506010	YOKE, REAR-REAR AXLE, INPUT or Single Rear Axle Input
100	DRIVELINES	0506100	DRIVELINE LABOR IDENTITY for Driveline Labor
101	DRIVELINES	0506102	CENTER BEARING, FIRST XMBR
102	DRIVELINES	0506103	CENTER BEARING, SECOND XMBR
103	DRIVELINES	0506110	CENTER BEARING MTG. PARTS
104	EXHAUST SYSTEMS	0507010	TAIL PIPE (1) Horizontal, Short, with Heat Diffuser
105	ELECTRICAL SYSTEMS	0508003	BATTERY BOX Steel, with Plastic Cover, 2-3 Battery Capacity, Mounted Left Side Behind Fuel Tank
106	ELECTRICAL SYSTEMS	0508014	TAIL LIGHT LOCATION Tail Lights Located on Inside of Frame Rail
107	MISC	0508051	ELECTRICAL SYSTEM MUX for Body Controller (BC PROG) only
108	MISC	0508057	ELECTRICAL SYSTEM MUX Rocker Switch in Loc E, Only for Use with Body Controller and Right Side of Cluster
109	MISC	0508058	ELECTRICAL SYSTEM MUX Rocker Switch in Loc F, Only for Use with Body Controller and Right Side of Cluster

110	SPEEDOMETER, TOOLS, MISC	0510000	BULK MATERIAL
111	MISC	0510002	SERVICE PARTS ASSEMBLIES
112	SPEEDOMETER, TOOLS, MISC	0510908	ENGINEERING PROGRAM IDENTITY for Red Extended Life Coolant Effects
113	SPEEDOMETER, TOOLS, MISC	0510913	VEPS PROG ENGINE SHUT DOWN Includes Warning Lights for; Low Oil Pressure, High Coolant Temperature, Low Coolant Level
114	SPEEDOMETER, TOOLS, MISC	0510924	ENGINEERING PROGRAM IDENTITY for 2007 Refresh Common Effects
115	SPEEDOMETER, TOOLS, MISC	0510926	ENGINEERING PROGRAM IDENTITY 76 Way Connector in lieu of 48 Way
116	SPEEDOMETER, TOOLS, MISC	0510935	VEPS IDENTITY for Allison Gen 4 Transmission
117	SPEEDOMETER, TOOLS, MISC	0510936	VEPS IDENTITY {Bendix} for EC-60 ABS
118	SPEEDOMETER, TOOLS, MISC	0510944	VEPS IDENTITY Shift Energy Management with Allison Transmissions
119	SPEEDOMETER, TOOLS, MISC	0510974	ENGINEERING PROGRAM IDENTITY for 2010 EPA Emissions Standards
120	SPEEDOMETER, TOOLS, MISC	0510993	VEPS IDENTITY Electronic Diagnostics
121	ENGINE	0512027	VEPS PROG, AIR FLOW SENSOR Programmable Parameter #0 ; for Low Cab DuraStar, HC Bus, with EPA 10 MaxxForce DT Engine
122	REAR AXLES, SUSPENSIONS	0514001	REAR SUSPENSION PARTS
123	CABS, COWLS, BODIES	0516003	ACCESS, CAB Driver & Passenger Sides, Two Steps Per Door, for use with Day Cab or Extended Cab, Not with 13" Deep Fuel Tanks
124	CABS, COWLS, BODIES	0516102	MIRROR, POWERED EFFECTS Both Sides, Flat Glass Only
125	CABS, COWLS, BODIES	0516103	MIRROR, L.E.D. CLEARANCE LIGHT EFFECTS; Both Sides
126	CABS, COWLS, BODIES	0516106	MIRROR, STYLE Aerodynamic
127	CABS, COWLS, BODIES	0516116	MIRROR HEATED EFFECTS All Heads, Both Sides, Thermostatically Controlled; with Mirror Heat Switch Mounted in Instrument Cluster
128	WHEELS MISC OPTIONS	0529001	WHEEL BEARING, FRONT, LUBE
129	WHEELS MISC OPTIONS	0529002	WHEEL BEARING, REAR, LUBE

130	MISC	0530100	TIRES
131	BODY & CHASSIS PAINT	0535007	PAINT CHASSIS COLOR GROUP No. 07
132	BODY & CHASSIS PAINT	0535011	IDENTITY STANDARD PAINT COLOR for Internal Order Coding
133	BODY & CHASSIS PAINT	0535911	PAINT COLOR GROUP PT-11 No. 1; Identifies Material and Labor Cost for the 1st Paint Color of a 1-Tone, 2-Tone, 3-Tone or 4-Tone Paint Schematic Design
134	MISC	0595AAC	BC PROG, KEY STATE
135	MISC	0595AAD	BC PROG, BRAKE SWITCH
136	MISC	0595AAH	BC PROG, LIGHTS ON W/WIPERS
137	MISC	0595AAL	BC PROG, TURN SIGNALS/BRAKE with Combined Stop and Turns
138	MISC	0595AAP	BC PROG, CRUISE CONT STEER WH
139	MISC	0595AAV	BC PROG, HORN ELECTRIC
140	MISC	0595AAZ	BC PROG, PARK BRAKE INDICATOR
141	MISC	0595ABA	BC PROG, SEATBELT INDICATOR
142	MISC	0595ABB	BC PROG, AIR PRESSURE GAUGES
143	MISC	0595ABC	BC PROG, TRAILER LIGHTING
144	MISC	0595ABG	BC PROG, ENGINE TYPE MFG International
145	MISC	0595ABK	BC PROG, ENGINE COOLANT TEMP Gauge
146	MISC	0595ABL	BC PROG, ENGINE OIL PRESS GAUG #1
147	MISC	0595ABN	BC PROG, SPEEDOMETER
148	MISC	0595ABP	BC PROG, VOLTMETER
149	MISC	0595ABV	BC PROG, ABS INDICATOR for Hydraulic OR Air Brake Systems, Not Including Trailer
150	MISC	0595ACE	BC PROG, FOG LIGHTS Rocker Switch, Dual Output
151	MISC	0595AER	BC PROG, TACHOMETER 4000 RPM
152	MISC	0595AET	BC PROG, PRNDL with 1000/2000 5 Speed Transmission not with Power Park or Park Pawl
153	MISC	0595AKY	BC PROG, DOME LIGHTS
154	MISC	0595ALB	BC PROG, HEADLIGHTS W/DRL Less Auto
155	MISC	0595ALW	BC PROG, STOP/TURN/PK DIAGNOST OMIT
156	MISC	0595AMP	BC PROG, HEATED MIRRORS in Push Button Location A
157	MISC	0595AND	BC PROG, ECONOMY MODE LIGHT 95 for Allison Transmissions
158	MISC	0595ANW	BC PROG, DIAGNOSTICS LOCATION Display in Gauge Cluster
159	MISC	0595AXY	BC PROG, FUEL TANK GAUGE Dual Right Side Draw

160	MISC	0595AYC	BC PROG, WINDSHIELD WIPER without Low Washer Fluid Indicator
161	MISC	0595AYD	BC PROG, LOW WASHER FLUID IND.
162	MISC	0595AZY	BC PROG, EXTERIOR LIGHT CHECK Push Button "B"; for MD, RH, & SS
163	MISC	0595AZZ	BC PROG, PARK / MARKER LIGHTS Dual Output, 20AMP
164	MISC	0595BBB	BC PROG, ENGINE FAN OVERRIDE 2 for Low Air Pressure, No Switch
165	MISC	0595BBM	BC PROG, ENGINE IDLE SHUTDOWN Indicator Light in Cluster Warning that Engine Ready to Shutdown, for 2010 Cluster
166	MISC	0595BHK	BC PROG, HVAC In Cab with Switch Controls (Bergstrom)
167	MISC	0595BJB	BC PROG, WAIT TO START IND. for 2010 Cluster
168	MISC	0595BJC	BC PROG, EXHAUST CLOGGED IND. Indicator for Clogged Diesel Particulate Filter in Aftertreatment, for 2010 Cluster
169	MISC	0595BJD	BC PROG, EXHAUST HIGH TEMP Indicator for High Exhaust Temperatures (Aftertreatment), for 2010 Cluster
170	MISC	0595BJH	BC PROG, IP CONFIGURATION for MD, RH, & SS, for 2010 Cluster
171	MISC	0595BJJ	BC PROG, PARKED REGEN SWITCH Aftertreatment, for 2010 Cluster
172	MISC	0595BJK	BC PROG, RANGE INHIBITED WARN for 2010 Cluster
173	MISC	0595BJR	BC PROG, LOGIC BUILDER Enabler, for 2010 Cluster
174	MISC	0595BKD	BC PROG, BODY CONTROLLER for Truck Body Controller #2
175	MISC	0595BSE	BC PROG, ENGINE PARAMETERS MaxxForce 9, 10, and DT Engines
176		0774945	*** ERROR GETTING DECSRIPTION: SQLCODE = +00100