

**Summary****VIN:3HAMMAAN2EL764055****General Information**

|                |  |                             |  |
|----------------|--|-----------------------------|--|
| Customer Name: | HOGAN TRUCK<br>LEASING<br>1000 N. 14TH STREET<br>ST. LOUIS, MO 63106 | Engine :                    | International : MAXXFORCE DT<br>215HP/2400 GOV EPA 2010, 215HP @<br>2200 RPM, 560 lb-ft Torque @ 1300 RPM,<br>2400 RPM Governed Speed, 215 Peak HP<br>(Max)<br>( 0012NUK ) |
| Application:   | Dry Van  | Model:                      | 4300 SBA 4X2   |
|                |  | Engine<br>Serial<br>Number: | 466HM2Y3501907   |

|                |                                |                          |                      |
|----------------|--------------------------------|--------------------------|----------------------|
| Contact Name:  | <input type="text" value="v"/> | Unit No:                 | <a href="#">Edit</a> |
| Position:      |                                | Inspection Exp:          |                      |
| Phone Number:  |                                | Notes:                   | No                   |
| Email Address: |                                |                          |                      |
| Customer ID:   |                                |                          |                      |
| Contact Type:  |                                |                          |                      |
|                |                                | OCC Authorization Form : | N/A                  |

**Warranty Information**

|                                |                  |                       |   |
|--------------------------------|------------------|-----------------------|---|
| Order Date:                    | 01/29/2013       | DTU Status:           | DTU   |
| Build Date:                    | 04/03/2013       | DTU Miles:            | 10 Miles  |
| Warranty Start Date:           | 06/25/2013       | Standard<br>Warranty: | CTS-2475N ENGLISH <input type="text" value="v"/> <a href="#">View</a> |
| Time In Service:               | 7 Years 9 Months | Diamond<br>Spec:      | No  |
| DTU Engine Hours:              | 0                | DTU Fuel<br>Used:     | 0.  |
| Extended Warranty<br>Coverage: | No               |                       |   |

**Managed Repair Information** 



|               |    |            |    |
|---------------|----|------------|----|
| Open Recalls: | No | Open AFCs: | No |
| Open MRCs:    | No | Open FSC:  | No |

**Calibration Status**

|                        |   |
|------------------------|---|
| BCM Status:            | <a href="#">Vehicle Calibration Scorecard</a> |
| Electronic Feature(s): | <a href="#">Vehicle Calibration Scorecard</a> |

**Details**

**Vehicle Information**

|                             |   |   |                           |
|-----------------------------|---|---|---------------------------|
| VIN :                       | 3HAMMAAN2EL764055                           | Order Date :  | 01/29/2013                |
| Model :                     | 4300 SBA 4X2                                | Build Date :  | 04/03/2013                |
| Engine :                    |   | DTU Date :  | 04/23/2013                |
| Application Family :        | Van   | Warranty Start Date :   | 06/25/2013                |
| Application :               | Dry Van                                     | DTU Status :  | DTU                       |
| Wheel Base :                | 266.0                                       | DTU Odometer :  | 10 Miles                  |
| DTU Engine Hours :          | 0   | DTU Fuel Used :   | 0.                        |
| GVWR :                      | 33000                                       | Original Gear Ratio :   | 355                       |
| PC Number :                 | L30408085                                   |  Programmed Gear Ratio : | 355<br>As Of: 04/04/2013  |
| Paint Color Code :          | 6032  | Order Number :  | 697879                    |
| Selling Dealer :            | <a href="#">NAVISTAR, INC. (000649-000)</a> |  After Frame :           | 96.5                      |
| Customer :                  | HOGAN TRUCK LEASING                         | Original Customer :   | HOGAN TRUCK LEASING, INC. |
| Address :                   | 1000 N. 14TH STREET                         | Address :   | 85 CORPORATE WOODS DRIVE  |
| City, State Zip :           | ST. LOUIS, MO 63106                         | City, State Zip :   | BRIDGETON, MO 63044       |
| Toe (MM/M)                  | N/A   |   |                           |
| Forward Rear / Scrub (MM/M) | N/A   |   |                           |
| Rear Rear / Thrust (MM/M)   | N/A   |   |                           |

**Components****Components**

VIN : 3HAMMAAN2EL764055

171 components found.

| S.No | Class Description | Parts Catalog Component | Description  |
|------|-------------------|-------------------------|--|
| 1    | FRAMES            | <a href="#">0001CAG</a> | FRAME RAILS Heat Treated Alloy Steel (120,000 PSI Yield); 10.250" x 3.610" x 0.375" (260.4mm x 91.7mm x 9.5mm); 456.0" (11582mm) Maximum OAL |
| 2    | FRAMES            | <a href="#">0001LNN</a> | BUMPER, FRONT Contoured, Steel, Chrome Plated  |
| 3    | FRAMES            | <a href="#">0001SAL</a> | CROSSMEMBER, REAR, AF (1)  |
| 4    | EXHAUST SYSTEMS   | <a href="#">0001VZY</a> | SUBSTITUTE BILL OF MATERIAL Inmagusa Frame Rails ILO Metalsa Frame Rails   |
| 5    | FRAMES            | <a href="#">0001WEK</a> | WHEELBASE RANGE 256" (650cm) Through and Including 311" (790cm)  |
| 6    | FRONT AXLES       | <a href="#">0002ASC</a> | AXLE, FRONT NON-DRIVING {Meritor MFS-12-122A} I-Beam Type, 12,000-lb Capacity  |
|      | FRONT             |                         | SUSPENSION, FRONT, SPRING Parabolic Taper Leaf,  |

|    |                    |                         |   |
|----|--------------------|-------------------------|---|
| 7  | SUSPENSIONS        | <a href="#">0003ADC</a> | Shackle Type, 12,000-lb Capacity, with Shock Absorbers  |
| 8  | FRONT SUSPENSIONS  | <a href="#">0003770</a> | SPRINGS, FRONT AUXILIARY Rubber   |
| 9  | BRAKES             | <a href="#">0004AZA</a> | AIR BRAKE ABS {Bendix AntiLock Brake System} 4-Channel (4 Sensor/4 Modulator) Full Vehicle Wheel Control System   |
| 10 | BRAKES             | <a href="#">0004EBS</a> | AIR DRYER {Bendix AD-9} with Heater   |
| 11 | BRAKES             | <a href="#">0004ESX</a> | BRAKE CHAMBERS, FRONT AXLE {Haldex} 20 SqIn   |
| 12 | BRAKES             | <a href="#">0004EVL</a> | BRAKE CHAMBERS, REAR AXLE {Haldex GC3030LHDHO} 30/30 SqIn Spring Brake  |
| 13 | BRAKES             | <a href="#">0004JCG</a> | BRAKES, FRONT, AIR CAM S-Cam; 15.0" x 4.0"; Includes 20 Sq. In. Long Stroke Brake Chambers  |
| 14 | BRAKES             | <a href="#">0004NDB</a> | BRAKES, REAR, AIR CAM S-Cam; 16.5" x 7.0"; Includes 30/30 Sq.In. Long Stroke Brake Chamber and Spring Actuated Parking Brake  |
| 15 | BRAKES             | <a href="#">0004SBC</a> | AIR COMPRESSOR {Bendix Tu-Flo 550} 13.2 CFM   |
| 16 | BRAKES             | <a href="#">0004091</a> | BRAKE SYSTEM, AIR Dual System for Straight Truck Applications   |
| 17 | STEERING           | <a href="#">0005CAL</a> | STEERING WHEEL 2-Spoke, 18" Dia., Black   |
| 18 | STEERING           | <a href="#">0005PSA</a> | STEERING GEAR {Sheppard M100} Power   |
| 19 | STEERING           | <a href="#">0005708</a> | STEERING COLUMN Tilting   |
| 20 | EXHAUST SYSTEMS    | <a href="#">0007BDA</a> | EXHAUST SYSTEM Single, Horizontal, Aftertreatment Device, Frame Mounted Right Side Back of Cab, Includes Horizontal Tail Pipe   |
| 21 | ELECTRICAL SYSTEMS | <a href="#">0008GHP</a> | ALTERNATOR {Delco Remy 28SI} Brush Type, 12 Volt, 160 Amp Capacity, Pad Mount, with Remote Sense  |
| 22 | ELECTRICAL SYSTEMS | <a href="#">0008HAB</a> | BODY BUILDER WIRING Back of Day Cab at Left Frame or Under Sleeper, Extended or Crew Cab at Left Frame; Includes Sealed Connectors for Tail/Amber Turn/Marker/ Backup/Accessory Power/Ground and Sealed Connector for Stop/Turn |
| 23 | ELECTRICAL SYSTEMS | <a href="#">0008MVK</a> | BATTERY SYSTEM {Deka/EAST PENN 9A31 AGM} Maintenance-Free, (2) AGM 12-Volt 1850CCA Total, Top Threaded Stud   |
| 24 | ELECTRICAL SYSTEMS | <a href="#">0008THB</a> | BACK-UP ALARM Electric, 102 dBA   |
| 25 | ELECTRICAL SYSTEMS | <a href="#">0008WBW</a> | JUMP START STUD Remote Mounted  |
| 26 | ELECTRICAL SYSTEMS | <a href="#">0008WCK</a> | POWER SOURCE, TERMINAL TYPE 2-Post  |
| 27 | ELECTRICAL SYSTEMS | <a href="#">0008WPB</a> | HEADLIGHTS Halogen, Composite Aero Design, with Daytime Running Lights  |

|    |                          |                         |  |
|----|--------------------------|-------------------------|--|
| 28 | ELECTRICAL SYSTEMS       | <a href="#">0008WPH</a> | CLEARANCE/MARKER LIGHTS (5) {Truck Lite} Amber LED Lights, Flush Mounted on Cab or Sunshade  |
| 29 | ELECTRICAL SYSTEMS       | <a href="#">0008WPP</a> | ENGINE SHUTDOWN Automatic; with 30 Second Delay, with International Engines  |
| 30 | ELECTRICAL SYSTEMS       | <a href="#">0008WPZ</a> | TEST EXTERIOR LIGHTS Pre-Trip Inspection will Cycle all Exterior Lamps Except Back-up Lights   |
| 31 | ELECTRICAL SYSTEMS       | <a href="#">0008WRB</a> | HEADLIGHTS ON W/WIPERS Headlights Will Automatically Turn on if Windshield Wipers are turned on  |
| 32 | ELECTRICAL SYSTEMS       | <a href="#">0008WWJ</a> | INDICATOR, LOW COOLANT LEVEL with Audible Alarm  |
| 33 | ELECTRICAL SYSTEMS       | <a href="#">0008WXG</a> | STARTING MOTOR {Mitsubishi Electric Automotive America 105P} 12-Volt, with Soft-Start  |
| 34 | ELECTRICAL SYSTEMS       | <a href="#">0008XAH</a> | CIRCUIT BREAKERS Manual-Reset (Main Panel) SAE Type III with Trip Indicators, Replaces All Fuses   |
| 35 | ELECTRICAL SYSTEMS       | <a href="#">0008000</a> | ELECTRICAL SYSTEM 12-Volt, Standard Equipment  |
| 36 | ELECTRICAL SYSTEMS       | <a href="#">0008518</a> | CIGAR LIGHTER Includes Ash Cup   |
| 37 | ELECTRICAL SYSTEMS       | <a href="#">0008540</a> | HORN, ELECTRIC (2) Trumpet Style   |
| 38 | ELECTRICAL SYSTEMS       | <a href="#">0008787</a> | RADIO Accommodation Package, Less Radio, Includes Wiring and Antenna, with Multiple Speakers   |
| 39 | FRONT END                | <a href="#">0009HAD</a> | GRILLE Chrome  |
| 40 | FRONT END                | <a href="#">0009HAN</a> | INSULATION, UNDER HOOD for Sound Abatement   |
| 41 | FRONT END                | <a href="#">0009HBN</a> | INSULATION, SPLASH PANELS for Sound Abatement  |
| 42 | FRONT END                | <a href="#">0009WAC</a> | BUG SCREEN Mounted Behind Grille   |
| 43 | FRONT END                | <a href="#">0009WAY</a> | FRONT END Tilting, Fiberglass, with Three Piece Construction   |
| 44 | SPEEDOMETER, TOOLS, MISC | <a href="#">0010ESC</a> | BOM SELECTION IDENTITY Use the Escobedo BOM when more than one BOM is possible   |
| 45 | SPEEDOMETER, TOOLS, MISC | <a href="#">0010060</a> | PAINT SCHEMATIC, PT-1 Single Color, Design 100   |
| 46 | SPEEDOMETER, TOOLS, MISC | <a href="#">0010210</a> | LABEL Emissions, Fuel Economy and Noise. DO NOT ORDER-FOR FACTORY USE ONLY   |
| 47 | SPEEDOMETER, TOOLS, MISC | <a href="#">0010761</a> | PAINT TYPE Base Coat/Clear Coat, 1-2 Tone  |
| 48 | SPEEDOMETER, TOOLS, MISC | <a href="#">0010769</a> | PAINT CLASS Premium Color  |
| 49 | CLUTCH                   | <a href="#">0011LEZ</a> | CLUTCH {Eaton Fuller Solo 1402 MF} Maintenance Free, Self-Adjusting, 14" Dia Two-Plate, Stamped Angle Spring, Ceramic, 7+1 Low Rate Damper, 1.75"-10 Tooth |

|    |                         |                         |  |
|----|-------------------------|-------------------------|--|
|    |                         |                         | Spline, Mechanical Pull Type Control, with Roller Yoke, 860 lb-ft Torque Capacity  |
| 50 | ENGINE                  | <a href="#">0012NUK</a> | ENGINE, DIESEL {MaxxFace DT} EPA 2010, 215HP @ 2200 RPM, 560 lb-ft Torque @ 1300 RPM, 2400 RPM Governed Speed, 215 Peak HP (Max)                                   |
| 51 | ENGINE                  | <a href="#">0012TSY</a> | FAN DRIVE {Borg-Warner SA85} Viscous Type, Screw On  |
| 52 | ENGINE                  | <a href="#">0012UAX</a> | RADIATOR Aluminum; 2-Row, Cross Flow, Over Under System, 817 SqIn Louvered, with 262 SqIn CAC  |
| 53 | ENGINE                  | <a href="#">0012UXG</a> | FEDERAL EMISSIONS for 2010; MaxxFace DT Engines  |
| 54 | ENGINE                  | <a href="#">0012VBR</a> | AIR CLEANER with Service Protection Element  |
| 55 | ENGINE                  | <a href="#">0012VXT</a> | THROTTLE, HAND CONTROL Engine Speed Control; Electronic, Stationary, Variable Speed; Mounted on Steering Wheel   |
| 56 | ENGINE                  | <a href="#">0012WZE</a> | EMISSION COMPLIANCE Federal, Does Not Comply with California Clean Air Idle Regulations  |
| 57 | ENGINE                  | <a href="#">0012XAN</a> | OBD COMPLIANCE for 2013 OBD (On Board Diagnostics)   |
| 58 | ENGINE                  | <a href="#">0012959</a> | BLOCK HEATER, ENGINE {Phillips} 120V/1250W   |
| 59 | TRANSMISSION            | <a href="#">0013GNG</a> | TRANSMISSION, MANUAL {Fuller FS-5406N} 6-Speed Manual, Direct Drive, Fully Synchronized, Short Shift Stroke  |
| 60 | TRANSMISSION            | <a href="#">0013WLA</a> | TRANSMISSION OIL {EmGard 50W} Synthetic; 1 thru 21.99 Pints  |
| 61 | REAR AXLES, SUSPENSIONS | <a href="#">0014ANU</a> | AXLE, REAR, SINGLE {Meritor MS-21-14X-3DFL} Single Reduction, 21,000-lb Capacity, 190 Wheel Ends   |
| 62 | REAR AXLES, SUSPENSIONS | <a href="#">0014VAH</a> | SUSPENSION, REAR, SINGLE 23,500-lb Capacity, Vari-Rate Springs, with 4500-lb Capacity Auxiliary Rubber Springs   |
| 63 | REAR AXLES, SUSPENSIONS | <a href="#">0014WLB</a> | AXLE, REAR, LUBE {EmGard 75W-90} Synthetic Oil; 30 thru 39.99 Pints  |
| 64 | FUEL TANKS              | <a href="#">0015DMW</a> | FUEL TANK (2) Top Draw, Non-Polished Aluminum, D-Style, 16" Tank Depth, 50 US Gal (189L); Total Capacity 100 US Gal (378L), Mounted Left and Right Side, Under Cab |
| 65 | CABS, COWLS, BODIES     | <a href="#">0016HBA</a> | GAUGE CLUSTER English with English Electronic Speedometer  |
| 66 | CABS, COWLS, BODIES     | <a href="#">0016HKT</a> | IP CLUSTER DISPLAY On Board Diagnostics Display of Fault Codes in Gauge Cluster  |
| 67 | CABS, COWLS, BODIES     | <a href="#">0016LJS</a> | SEAT, DRIVER {National 2000} Air Suspension, High Back with Integral Headrest, Vinyl, Isolator, 1 Chamber Lumbar, 2 Position Front Cushion Adjustment, -3 to +14   |

|    |                       |                         |   |
|----|-----------------------|-------------------------|---|
|    |                       |                         | Degree Seat Back Angle Adjust, Dual Shocks  |
| 68 | CABS, COWLS, BODIES   | <a href="#">0016PHJ</a> | SEAT, TWO-MAN PASSENGER {Gra-Mag} Fixed Back, Two Integral Headrest, Vinyl, Less Under Seat Storage Compartment   |
| 69 | CABS, COWLS, BODIES   | <a href="#">0016SDL</a> | MIRRORS (2) {Lang Mekra} Rectangular, Thermostatically Controlled Heated Heads, Black Heads, Brackets and Arms, Breakaway Type, 7.44" x 14.84" & 7.44" sq. Convex Both Sides, 102" Inside Spacing |
| 70 | CABS, COWLS, BODIES   | <a href="#">0016WBY</a> | ARM REST, RIGHT, DRIVER SEAT  |
| 71 | CABS, COWLS, BODIES   | <a href="#">0016WCT</a> | AIR CONDITIONER {Blend-Air} with Integral Heater and Defroster  |
| 72 | CABS, COWLS, BODIES   | <a href="#">0016WJS</a> | INSTRUMENT PANEL Center Section, Flat Panel   |
| 73 | CABS, COWLS, BODIES   | <a href="#">0016WLS</a> | FRESH AIR FILTER Attached to Air Intake Cover on Cowl Tray in Front of Windshield Under Hood  |
| 74 | CABS, COWLS, BODIES   | <a href="#">0016WRX</a> | CAB INTERIOR TRIM Deluxe  |
| 75 | CABS, COWLS, BODIES   | <a href="#">0016WSE</a> | LOW WASHER FLUID INDICATOR  |
| 76 | CABS, COWLS, BODIES   | <a href="#">0016000</a> | FLOOR COVERING Transmission Cover, Floor Mats and Seal DO NOT ORDER-FOR FACTORY USE ONLY  |
| 77 | CABS, COWLS, BODIES   | <a href="#">0016030</a> | CAB Conventional, Day Cab   |
| 78 | WHEELS, TIRES - FRONT | <a href="#">0027DMA</a> | WHEELS, FRONT {Accuride} DISC; 22.5x8.25 Rims, Painted Steel, 2-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs  |
| 79 | WHEELS, TIRES - REAR  | <a href="#">0028DMA</a> | WHEELS, REAR {Accuride} DUAL DISC; 22.5x8.25 Rims, Painted Steel, 2-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs  |
| 80 | WHEELS MISC OPTIONS   | <a href="#">0029WLA</a> | WHEEL BEARING, FRONT, LUBE {EmGard 50W} Synthetic Oil   |
| 81 | WHEELS MISC OPTIONS   | <a href="#">0029580</a> | WHEEL SEALS, FRONT {International} Oil-Lubricated Wheel Bearings  |
| 82 | WARRANTY              | <a href="#">0040024</a> | WARRANTY Medium Duty Standard 24 Month  |
| 83 |                       | <a href="#">0410STB</a> | *** ERROR GETTING DECSRIPTION: SQLCODE = +00100   |
| 84 |                       | <a href="#">0410STE</a> | *** ERROR GETTING DECSRIPTION: SQLCODE = +00100   |
| 85 |                       | <a href="#">0410STL</a> | *** ERROR GETTING DECSRIPTION: SQLCODE = +00100   |
| 86 | FRAMES                | <a href="#">0501022</a> | SUPPORT, MOUNTING (2) for Center Bearing Hanger   |

|     |                          |                         | Bracket   |
|-----|--------------------------|-------------------------|---|
| 87  | MISC                     | <a href="#">0504057</a> | AIR TANK VOLUME IDENTITY Nominal 3484 CuIn System Capacity  |
| 88  | SPEEDOMETER, TOOLS, MISC | <a href="#">0504104</a> | ENGINEERING ABS IDENTITY ABS-6  |
| 89  | BRAKES                   | <a href="#">0504200</a> | DRAIN VALVE (3) Petcocks, for Air Tanks   |
| 90  | BRAKES                   | <a href="#">0504306</a> | SLACK ADJUSTERS, FRONT {Meritor} Automatic  |
| 91  | BRAKES                   | <a href="#">0504355</a> | SLACK ADJUSTERS, REAR {Meritor} Automatic   |
| 92  | BRAKES                   | <a href="#">0504360</a> | AIR TANK Steel, with Straight Thread O-Ring Ports   |
| 93  | BRAKES                   | <a href="#">0504396</a> | AIR DRYER LOCATION Mounted Inside Left Rail, Back of Cab  |
| 94  | BRAKES                   | <a href="#">0504435</a> | BRAKE LININGS, REAR {Meritor R301} S-Cam Type; Non-Asbestos   |
| 95  | BRAKES                   | <a href="#">0504438</a> | BRAKE LININGS, FRONT {Meritor MA212} Non-Asbestos for S-Cam Brake   |
| 96  | BRAKES                   | <a href="#">0504441</a> | BRAKE IDENTITY, FRONT {Meritor Q-Plus}  |
| 97  | BRAKES                   | <a href="#">0504442</a> | BRAKE IDENTITY, REAR {Meritor Q-Plus}   |
| 98  | BRAKES                   | <a href="#">0504605</a> | AIR TANK LOCATION (2) Mounted Under Battery Box, Outside Left Rail, Back of Cab                           |
| 99  | DRIVELINES               | <a href="#">0506001</a> | YOKE, TRANSMISSION OUTPUT   |
| 100 | DRIVELINES               | <a href="#">0506010</a> | YOKE, REAR-REAR AXLE, INPUT or Single Rear Axle Input   |
| 101 | DRIVELINES               | <a href="#">0506100</a> | DRIVELINE LABOR IDENTITY for Driveline Labor  |
| 102 | DRIVELINES               | <a href="#">0506102</a> | CENTER BEARING, FIRST XMBR  |
| 103 | DRIVELINES               | <a href="#">0506104</a> | CENTER BEARING, THIRD XMBR  |
| 104 | DRIVELINES               | <a href="#">0506105</a> | CENTER BEARING, FOURTH XMBR   |
| 105 | DRIVELINES               | <a href="#">0506110</a> | CENTER BEARING MTG. PARTS   |
| 106 | EXHAUST SYSTEMS          | <a href="#">0507010</a> | TAIL PIPE (1) Horizontal, Short, with Heat Diffuser   |
| 107 | ELECTRICAL SYSTEMS       | <a href="#">0508003</a> | BATTERY BOX Steel, with Plastic Cover, 2-3 Battery Capacity, Mounted Left Side Behind Fuel Tank           |
| 108 | ELECTRICAL SYSTEMS       | <a href="#">0508014</a> | TAIL LIGHT LOCATION Tail Lights Located on Inside of Frame Rail   |
| 109 | MISC                     | <a href="#">0508051</a> | ELECTRICAL SYSTEM MUX for Body Controller (BC PROG) only  |
| 110 | MISC                     | <a href="#">0508057</a> | ELECTRICAL SYSTEM MUX Rocker Switch in Loc E, Only for Use with Body Controller and Right Side of Cluster |
| 111 | SPEEDOMETER, TOOLS, MISC | <a href="#">0510000</a> | BULK MATERIAL   |
| 112 | MISC                     | <a href="#">0510002</a> | SERVICE PARTS ASSEMBLIES  |

|     |                             |                         |   |
|-----|-----------------------------|-------------------------|---|
| 113 | SPEEDOMETER,<br>TOOLS, MISC | <a href="#">0510908</a> | ENGINEERING PROGRAM IDENTITY for Red<br>Extended Life Coolant Effects   |
| 114 | SPEEDOMETER,<br>TOOLS, MISC | <a href="#">0510913</a> | VEPS PROG ENGINE SHUT DOWN Includes Warning<br>Lights for; Low Oil Pressure, High Coolant Temperature,<br>Low Coolant Level                                   |
| 115 | SPEEDOMETER,<br>TOOLS, MISC | <a href="#">0510924</a> | ENGINEERING PROGRAM IDENTITY for 2007<br>Refresh Common Effects   |
| 116 | SPEEDOMETER,<br>TOOLS, MISC | <a href="#">0510926</a> | ENGINEERING PROGRAM IDENTITY 76 Way<br>Connector in lieu of 48 Way  |
| 117 | SPEEDOMETER,<br>TOOLS, MISC | <a href="#">0510936</a> | VEPS IDENTITY {Bendix} for EC-60 ABS  |
| 118 | SPEEDOMETER,<br>TOOLS, MISC | <a href="#">0510974</a> | ENGINEERING PROGRAM IDENTITY for 2010 EPA<br>Emissions Standards  |
| 119 | SPEEDOMETER,<br>TOOLS, MISC | <a href="#">0510993</a> | VEPS IDENTITY Electronic Diagnostics  |
| 120 | ENGINE                      | <a href="#">0512027</a> | VEPS PROG, AIR FLOW SENSOR Programmable<br>Parameter #0 ; for Low Cab DuraStar, HC Bus, with<br>EPA 10 MaxxForce DT Engine                                    |
| 121 | REAR AXLES,<br>SUSPENSIONS  | <a href="#">0514001</a> | REAR SUSPENSION PARTS   |
| 122 | CABS, COWLS,<br>BODIES      | <a href="#">0516003</a> | ACCESS, CAB Driver & Passenger Sides, Two Steps<br>Per Door, for use with Day Cab or Extended Cab, Not<br>with 13" Deep Fuel Tanks                            |
| 123 | CABS, COWLS,<br>BODIES      | <a href="#">0516100</a> | MIRROR, CONVEX Left Side Only, 7 3/4", In Addition<br>to Standard Right Side Convex Mirror  |
| 124 | CABS, COWLS,<br>BODIES      | <a href="#">0516104</a> | MIRROR, STYLE Rectangular, Non-Aerodynamic  |
| 125 | CABS, COWLS,<br>BODIES      | <a href="#">0516116</a> | MIRROR HEATED EFFECTS All Heads, Both Sides,<br>Thermostatically Controlled; with Mirror Heat Switch<br>Mounted in Instrument Cluster                         |
| 126 | WHEELS MISC<br>OPTIONS      | <a href="#">0529001</a> | WHEEL BEARING, FRONT, LUBE  |
| 127 | WHEELS MISC<br>OPTIONS      | <a href="#">0529002</a> | WHEEL BEARING, REAR, LUBE   |
| 128 | MISC                        | <a href="#">0530100</a> | TIRES   |
| 129 | BODY &<br>CHASSIS PAINT     | <a href="#">0535008</a> | PAINT CHASSIS COLOR GROUP No. 08  |
| 130 | BODY &<br>CHASSIS PAINT     | <a href="#">0535911</a> | PAINT COLOR GROUP PT-11 No. 1; Identifies<br>Material and Labor Cost for the 1st Paint Color of a 1-<br>Tone, 2-Tone, 3-Tone or 4-Tone Paint Schematic Design |
| 131 | MISC                        | <a href="#">0595AAC</a> | BC PROG, KEY STATE  |
| 132 | MISC                        | <a href="#">0595AAD</a> | BC PROG, BRAKE SWITCH   |
| 133 | MISC                        | <a href="#">0595AAH</a> | BC PROG, LIGHTS ON W/WIPERS   |



|     |      |                         |  |
|-----|------|-------------------------|--|
| 134 | MISC | <a href="#">0595AAL</a> | BC PROG, TURN SIGNALS/BRAKE with Combined Stop and Turns   |
| 135 | MISC | <a href="#">0595AAP</a> | BC PROG, CRUISE CONT STEER WH  |
| 136 | MISC | <a href="#">0595AAV</a> | BC PROG, HORN ELECTRIC   |
| 137 | MISC | <a href="#">0595AAZ</a> | BC PROG, PARK BRAKE INDICATOR  |
| 138 | MISC | <a href="#">0595ABA</a> | BC PROG, SEATBELT INDICATOR  |
| 139 | MISC | <a href="#">0595ABB</a> | BC PROG, AIR PRESSURE GAUGES   |
| 140 | MISC | <a href="#">0595ABC</a> | BC PROG, TRAILER LIGHTING  |
| 141 | MISC | <a href="#">0595ABG</a> | BC PROG, ENGINE TYPE MFG International   |
| 142 | MISC | <a href="#">0595ABK</a> | BC PROG, ENGINE COOLANT TEMP Gauge   |
| 143 | MISC | <a href="#">0595ABL</a> | BC PROG, ENGINE OIL PRESS GAUG #1  |
| 144 | MISC | <a href="#">0595ABN</a> | BC PROG, SPEEDOMETER   |
| 145 | MISC | <a href="#">0595ABP</a> | BC PROG, VOLTMETER   |
| 146 | MISC | <a href="#">0595ABV</a> | BC PROG, ABS INDICATOR for Hydraulic OR Air Brake Systems, Not Including Trailer                                 |
| 147 | MISC | <a href="#">0595ADP</a> | BC PROG, CLUTCH SWITCH   |
| 148 | MISC | <a href="#">0595ADR</a> | BC PROG, PRNDL No PRNDL, Manual Transmission   |
| 149 | MISC | <a href="#">0595AER</a> | BC PROG, TACHOMETER 4000 RPM   |
| 150 | MISC | <a href="#">0595AKY</a> | BC PROG, DOME LIGHTS   |
| 151 | MISC | <a href="#">0595ALB</a> | BC PROG, HEADLIGHTS W/DRL Less Auto  |
| 152 | MISC | <a href="#">0595ALW</a> | BC PROG, STOP/TURN/PK DIAGNOST OMIT  |
| 153 | MISC | <a href="#">0595AMP</a> | BC PROG, HEATED MIRRORS in Push Button Location A  |
| 154 | MISC | <a href="#">0595ANW</a> | BC PROG, DIAGNOSTICS LOCATION Display in Gauge Cluster   |
| 155 | MISC | <a href="#">0595AXY</a> | BC PROG, FUEL TANK GAUGE Dual Right Side Draw  |
| 156 | MISC | <a href="#">0595AYC</a> | BC PROG, WINDSHIELD WIPER without Low Washer Fluid Indicator   |
| 157 | MISC | <a href="#">0595AYD</a> | BC PROG, LOW WASHER FLUID IND.   |
| 158 | MISC | <a href="#">0595AZY</a> | BC PROG, EXTERIOR LIGHT CHECK Push Button "B"; for MD, RH, & SS  |
| 159 | MISC | <a href="#">0595AZZ</a> | BC PROG, PARK / MARKER LIGHTS Dual Output, 20AMP   |
| 160 | MISC | <a href="#">0595BBB</a> | BC PROG, ENGINE FAN OVERRIDE 2 for Low Air Pressure, No Switch   |
| 161 | MISC | <a href="#">0595BBM</a> | BC PROG, ENGINE IDLE SHUTDOWN Indicator Light in Cluster Warning that Engine Ready to Shutdown, for 2010 Cluster |
| 162 | MISC | <a href="#">0595BHK</a> | BC PROG, HVAC In Cab with Switch Controls (Bergstrom)  |

|     |      |                         |   |
|-----|------|-------------------------|---|
| 163 | MISC | <a href="#">0595BJB</a> | BC PROG, WAIT TO START IND. for 2010 Cluster  |
| 164 | MISC | <a href="#">0595BJC</a> | BC PROG, EXHAUST CLOGGED IND. Indicator for Clogged Diesel Particulate Filter in Aftertreatment, for 2010 Cluster |
| 165 | MISC | <a href="#">0595BJD</a> | BC PROG, EXHAUST HIGH TEMP Indicator for High Exhaust Temperatures (Aftertreatment), for 2010 Cluster             |
| 166 | MISC | <a href="#">0595BJH</a> | BC PROG, IP CONFIGURATION for MD, RH, & SS, for 2010 Cluster  |
| 167 | MISC | <a href="#">0595BJJ</a> | BC PROG, PARKED REGEN SWITCH Aftertreatment, for 2010 Cluster   |
| 168 | MISC | <a href="#">0595BJR</a> | BC PROG, LOGIC BUILDER Enabler, for 2010 Cluster  |
| 169 | MISC | <a href="#">0595BKD</a> | BC PROG, BODY CONTROLLER for Truck Body Controller #2   |
| 170 | MISC | <a href="#">0595BSE</a> | BC PROG, ENGINE PARAMETERS MaxxForce 9, 10, and DT Engines  |
| 171 |      | <a href="#">0777253</a> | *** ERROR GETTING DECSRIPTION: SQLCODE = +00100   |