

**Summary****VIN:3HAMMAAN8EL764061****General Information**

Customer Name:	HOGAN TRUCK LEASING 1000 N. 14TH STREET ST. LOUIS, MO 63106	Engine :	International : MAXXFORCE DT 215HP/2400 GOV EPA 2010, 215HP @ 2200 RPM, 560 lb-ft Torque @ 1300 RPM, 2400 RPM Governed Speed, 215 Peak HP (Max) ( 0012NUK )
Application:	Dry Van	Model:	4300 SBA 4X2
		Engine Serial Number:	466HM2Y3501906

Contact Name:	<input type="text" value="v"/>	Unit No:	<a href="#">Edit</a>
Position:		Inspection Exp:	
Phone Number:		Notes:	No
Email Address:			
Customer ID:			
Contact Type:			
		OCC Authorization Form :	N/A

**Warranty Information**

Order Date:	01/29/2013	DTU Status:	DTU
Build Date:	04/03/2013	DTU Miles:	10 Miles
Warranty Start Date:	06/25/2013	Standard Warranty:	CTS-2475N ENGLISH <input type="text" value="v"/> <a href="#">View</a>
Time In Service:	7 Years 9 Months	Diamond Spec:	No
DTU Engine Hours:	0	DTU Fuel Used:	0.
Extended Warranty Coverage:	No		

**Managed Repair Information** 



Open Recalls:	No	Open AFCs:	No
Open MRCs:	No	Open FSC:	No

**Calibration Status**

BCM Status:	<a href="#">Vehicle Calibration Scorecard</a>
Electronic Feature(s):	<a href="#">Vehicle Calibration Scorecard</a>

**Details**

**Vehicle Information**

VIN :	3HAMMAAN8EL764061	Order Date :	01/29/2013
Model :	4300 SBA 4X2	Build Date :	04/03/2013
Engine :		DTU Date :	04/29/2013
Application Family :	Van	Warranty Start Date :	06/25/2013
Application :	Dry Van	DTU Status :	DTU
Wheel Base :	266.0	DTU Odometer :	10 Miles
DTU Engine Hours :	0	DTU Fuel Used :	0.
GVWR :	33000	Original Gear Ratio :	355
PC Number :	L30410081	 Programmed Gear Ratio :	355 As Of: 04/04/2013
Paint Color Code :	6032	Order Number :	697885
Selling Dealer :	<a href="#">NAVISTAR, INC. (000649-000)</a>	 After Frame :	96.5
Customer :	HOGAN TRUCK LEASING	Original Customer :	HOGAN TRUCK LEASING, INC.
Address :	1000 N. 14TH STREET	Address :	85 CORPORATE WOODS DRIVE
City, State Zip :	ST. LOUIS, MO 63106	City, State Zip :	BRIDGETON, MO 63044
Toe (MM/M)	N/A		
Forward Rear / Scrub (MM/M)	N/A		
Rear Rear / Thrust (MM/M)	N/A		

**Components****Components****VIN : 3HAMMAAN8EL764061****171 components found.**

Export

S.No	Class Description	Parts Catalog Component	Description
1	FRAMES	<a href="#">0001CAG</a>	FRAME RAILS Heat Treated Alloy Steel (120,000 PSI Yield); 10.250" x 3.610" x 0.375" (260.4mm x 91.7mm x 9.5mm); 456.0" (11582mm) Maximum OAL
2	FRAMES	<a href="#">0001LNN</a>	BUMPER, FRONT Contoured, Steel, Chrome Plated
3	FRAMES	<a href="#">0001SAL</a>	CROSSMEMBER, REAR, AF (1)
4	EXHAUST SYSTEMS	<a href="#">0001VZY</a>	SUBSTITUTE BILL OF MATERIAL Inmagusa Frame Rails ILO Metalsa Frame Rails
5	FRAMES	<a href="#">0001WEK</a>	WHEELBASE RANGE 256" (650cm) Through and Including 311" (790cm)
6	FRONT AXLES	<a href="#">0002ASC</a>	AXLE, FRONT NON-DRIVING {Meritor MFS-12-122A} I-Beam Type, 12,000-lb Capacity
	FRONT		SUSPENSION, FRONT, SPRING Parabolic Taper Leaf,

7	SUSPENSIONS	<a href="#">0003ADC</a>	Shackle Type, 12,000-lb Capacity, with Shock Absorbers
8	FRONT SUSPENSIONS	<a href="#">0003770</a>	SPRINGS, FRONT AUXILIARY Rubber
9	BRAKES	<a href="#">0004AZA</a>	AIR BRAKE ABS {Bendix AntiLock Brake System} 4-Channel (4 Sensor/4 Modulator) Full Vehicle Wheel Control System
10	BRAKES	<a href="#">0004EBS</a>	AIR DRYER {Bendix AD-9} with Heater
11	BRAKES	<a href="#">0004ESX</a>	BRAKE CHAMBERS, FRONT AXLE {Haldex} 20 SqIn
12	BRAKES	<a href="#">0004EVL</a>	BRAKE CHAMBERS, REAR AXLE {Haldex GC3030LHDHO} 30/30 SqIn Spring Brake
13	BRAKES	<a href="#">0004JCG</a>	BRAKES, FRONT, AIR CAM S-Cam; 15.0" x 4.0"; Includes 20 Sq. In. Long Stroke Brake Chambers
14	BRAKES	<a href="#">0004NDB</a>	BRAKES, REAR, AIR CAM S-Cam; 16.5" x 7.0"; Includes 30/30 Sq.In. Long Stroke Brake Chamber and Spring Actuated Parking Brake
15	BRAKES	<a href="#">0004SBC</a>	AIR COMPRESSOR {Bendix Tu-Flo 550} 13.2 CFM
16	BRAKES	<a href="#">0004091</a>	BRAKE SYSTEM, AIR Dual System for Straight Truck Applications
17	STEERING	<a href="#">0005CAL</a>	STEERING WHEEL 2-Spoke, 18" Dia., Black
18	STEERING	<a href="#">0005PSA</a>	STEERING GEAR {Sheppard M100} Power
19	STEERING	<a href="#">0005708</a>	STEERING COLUMN Tilting
20	EXHAUST SYSTEMS	<a href="#">0007BDA</a>	EXHAUST SYSTEM Single, Horizontal, Aftertreatment Device, Frame Mounted Right Side Back of Cab, Includes Horizontal Tail Pipe
21	ELECTRICAL SYSTEMS	<a href="#">0008GHP</a>	ALTERNATOR {Delco Remy 28SI} Brush Type, 12 Volt, 160 Amp Capacity, Pad Mount, with Remote Sense
22	ELECTRICAL SYSTEMS	<a href="#">0008HAB</a>	BODY BUILDER WIRING Back of Day Cab at Left Frame or Under Sleeper, Extended or Crew Cab at Left Frame; Includes Sealed Connectors for Tail/Amber Turn/Marker/ Backup/Accessory Power/Ground and Sealed Connector for Stop/Turn
23	ELECTRICAL SYSTEMS	<a href="#">0008MVK</a>	BATTERY SYSTEM {Deka/EAST PENN 9A31 AGM} Maintenance-Free, (2) AGM 12-Volt 1850CCA Total, Top Threaded Stud
24	ELECTRICAL SYSTEMS	<a href="#">0008THB</a>	BACK-UP ALARM Electric, 102 dBA
25	ELECTRICAL SYSTEMS	<a href="#">0008WBW</a>	JUMP START STUD Remote Mounted
26	ELECTRICAL SYSTEMS	<a href="#">0008WCK</a>	POWER SOURCE, TERMINAL TYPE 2-Post
27	ELECTRICAL SYSTEMS	<a href="#">0008WPB</a>	HEADLIGHTS Halogen, Composite Aero Design, with Daytime Running Lights

28	ELECTRICAL SYSTEMS	<a href="#">0008WPH</a>	CLEARANCE/MARKER LIGHTS (5) {Truck Lite} Amber LED Lights, Flush Mounted on Cab or Sunshade
29	ELECTRICAL SYSTEMS	<a href="#">0008WPP</a>	ENGINE SHUTDOWN Automatic; with 30 Second Delay, with International Engines
30	ELECTRICAL SYSTEMS	<a href="#">0008WPZ</a>	TEST EXTERIOR LIGHTS Pre-Trip Inspection will Cycle all Exterior Lamps Except Back-up Lights
31	ELECTRICAL SYSTEMS	<a href="#">0008WRB</a>	HEADLIGHTS ON W/WIPERS Headlights Will Automatically Turn on if Windshield Wipers are turned on
32	ELECTRICAL SYSTEMS	<a href="#">0008WWJ</a>	INDICATOR, LOW COOLANT LEVEL with Audible Alarm
33	ELECTRICAL SYSTEMS	<a href="#">0008WXG</a>	STARTING MOTOR {Mitsubishi Electric Automotive America 105P} 12-Volt, with Soft-Start
34	ELECTRICAL SYSTEMS	<a href="#">0008XAH</a>	CIRCUIT BREAKERS Manual-Reset (Main Panel) SAE Type III with Trip Indicators, Replaces All Fuses
35	ELECTRICAL SYSTEMS	<a href="#">0008000</a>	ELECTRICAL SYSTEM 12-Volt, Standard Equipment
36	ELECTRICAL SYSTEMS	<a href="#">0008518</a>	CIGAR LIGHTER Includes Ash Cup
37	ELECTRICAL SYSTEMS	<a href="#">0008540</a>	HORN, ELECTRIC (2) Trumpet Style
38	ELECTRICAL SYSTEMS	<a href="#">0008787</a>	RADIO Accommodation Package, Less Radio, Includes Wiring and Antenna, with Multiple Speakers
39	FRONT END	<a href="#">0009HAD</a>	GRILLE Chrome
40	FRONT END	<a href="#">0009HAN</a>	INSULATION, UNDER HOOD for Sound Abatement
41	FRONT END	<a href="#">0009HBN</a>	INSULATION, SPLASH PANELS for Sound Abatement
42	FRONT END	<a href="#">0009WAC</a>	BUG SCREEN Mounted Behind Grille
43	FRONT END	<a href="#">0009WAY</a>	FRONT END Tilting, Fiberglass, with Three Piece Construction
44	SPEEDOMETER, TOOLS, MISC	<a href="#">0010ESC</a>	BOM SELECTION IDENTITY Use the Escobedo BOM when more than one BOM is possible
45	SPEEDOMETER, TOOLS, MISC	<a href="#">0010060</a>	PAINT SCHEMATIC, PT-1 Single Color, Design 100
46	SPEEDOMETER, TOOLS, MISC	<a href="#">0010210</a>	LABEL Emissions, Fuel Economy and Noise. DO NOT ORDER-FOR FACTORY USE ONLY
47	SPEEDOMETER, TOOLS, MISC	<a href="#">0010761</a>	PAINT TYPE Base Coat/Clear Coat, 1-2 Tone
48	SPEEDOMETER, TOOLS, MISC	<a href="#">0010769</a>	PAINT CLASS Premium Color
49	CLUTCH	<a href="#">0011LEZ</a>	CLUTCH {Eaton Fuller Solo 1402 MF} Maintenance Free, Self-Adjusting, 14" Dia Two-Plate, Stamped Angle Spring, Ceramic, 7+1 Low Rate Damper, 1.75"-10 Tooth

			Spline, Mechanical Pull Type Control, with Roller Yoke, 860 lb-ft Torque Capacity
50	ENGINE	<a href="#">0012NUK</a>	ENGINE, DIESEL {MaxxForce DT} EPA 2010, 215HP @ 2200 RPM, 560 lb-ft Torque @ 1300 RPM, 2400 RPM Governed Speed, 215 Peak HP (Max)
51	ENGINE	<a href="#">0012TSY</a>	FAN DRIVE {Borg-Warner SA85} Viscous Type, Screw On
52	ENGINE	<a href="#">0012UAX</a>	RADIATOR Aluminum; 2-Row, Cross Flow, Over Under System, 817 SqIn Louvered, with 262 SqIn CAC
53	ENGINE	<a href="#">0012UXG</a>	FEDERAL EMISSIONS for 2010; MaxxForce DT Engines
54	ENGINE	<a href="#">0012VBR</a>	AIR CLEANER with Service Protection Element
55	ENGINE	<a href="#">0012VXT</a>	THROTTLE, HAND CONTROL Engine Speed Control; Electronic, Stationary, Variable Speed; Mounted on Steering Wheel
56	ENGINE	<a href="#">0012WZE</a>	EMISSION COMPLIANCE Federal, Does Not Comply with California Clean Air Idle Regulations
57	ENGINE	<a href="#">0012XAN</a>	OBD COMPLIANCE for 2013 OBD (On Board Diagnostics)
58	ENGINE	<a href="#">0012959</a>	BLOCK HEATER, ENGINE {Phillips} 120V/1250W
59	TRANSMISSION	<a href="#">0013GNG</a>	TRANSMISSION, MANUAL {Fuller FS-5406N} 6-Speed Manual, Direct Drive, Fully Synchronized, Short Shift Stroke
60	TRANSMISSION	<a href="#">0013WLA</a>	TRANSMISSION OIL {EmGard 50W} Synthetic; 1 thru 21.99 Pints
61	REAR AXLES, SUSPENSIONS	<a href="#">0014ANU</a>	AXLE, REAR, SINGLE {Meritor MS-21-14X-3DFL} Single Reduction, 21,000-lb Capacity, 190 Wheel Ends
62	REAR AXLES, SUSPENSIONS	<a href="#">0014VAH</a>	SUSPENSION, REAR, SINGLE 23,500-lb Capacity, Vari-Rate Springs, with 4500-lb Capacity Auxiliary Rubber Springs
63	REAR AXLES, SUSPENSIONS	<a href="#">0014WLB</a>	AXLE, REAR, LUBE {EmGard 75W-90} Synthetic Oil; 30 thru 39.99 Pints
64	FUEL TANKS	<a href="#">0015DMW</a>	FUEL TANK (2) Top Draw, Non-Polished Aluminum, D-Style, 16" Tank Depth, 50 US Gal (189L); Total Capacity 100 US Gal (378L), Mounted Left and Right Side, Under Cab
65	CABS, COWLS, BODIES	<a href="#">0016HBA</a>	GAUGE CLUSTER English with English Electronic Speedometer
66	CABS, COWLS, BODIES	<a href="#">0016HKT</a>	IP CLUSTER DISPLAY On Board Diagnostics Display of Fault Codes in Gauge Cluster
67	CABS, COWLS, BODIES	<a href="#">0016LJS</a>	SEAT, DRIVER {National 2000} Air Suspension, High Back with Integral Headrest, Vinyl, Isolator, 1 Chamber Lumbar, 2 Position Front Cushion Adjustment, -3 to +14

			Degree Seat Back Angle Adjust, Dual Shocks
68	CABS, COWLS, BODIES	<a href="#">0016PHJ</a>	SEAT, TWO-MAN PASSENGER {Gra-Mag} Fixed Back, Two Integral Headrest, Vinyl, Less Under Seat Storage Compartment
69	CABS, COWLS, BODIES	<a href="#">0016SDL</a>	MIRRORS (2) {Lang Mekra} Rectangular, Thermostatically Controlled Heated Heads, Black Heads, Brackets and Arms, Breakaway Type, 7.44" x 14.84" & 7.44" sq. Convex Both Sides, 102" Inside Spacing
70	CABS, COWLS, BODIES	<a href="#">0016WBY</a>	ARM REST, RIGHT, DRIVER SEAT
71	CABS, COWLS, BODIES	<a href="#">0016WCT</a>	AIR CONDITIONER {Blend-Air} with Integral Heater and Defroster
72	CABS, COWLS, BODIES	<a href="#">0016WJS</a>	INSTRUMENT PANEL Center Section, Flat Panel
73	CABS, COWLS, BODIES	<a href="#">0016WLS</a>	FRESH AIR FILTER Attached to Air Intake Cover on Cowl Tray in Front of Windshield Under Hood
74	CABS, COWLS, BODIES	<a href="#">0016WRX</a>	CAB INTERIOR TRIM Deluxe
75	CABS, COWLS, BODIES	<a href="#">0016WSE</a>	LOW WASHER FLUID INDICATOR
76	CABS, COWLS, BODIES	<a href="#">0016000</a>	FLOOR COVERING Transmission Cover, Floor Mats and Seal DO NOT ORDER-FOR FACTORY USE ONLY
77	CABS, COWLS, BODIES	<a href="#">0016030</a>	CAB Conventional, Day Cab
78	WHEELS, TIRES - FRONT	<a href="#">0027DMA</a>	WHEELS, FRONT {Accuride} DISC; 22.5x8.25 Rims, Painted Steel, 2-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs
79	WHEELS, TIRES - REAR	<a href="#">0028DMA</a>	WHEELS, REAR {Accuride} DUAL DISC; 22.5x8.25 Rims, Painted Steel, 2-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs
80	WHEELS MISC OPTIONS	<a href="#">0029WLA</a>	WHEEL BEARING, FRONT, LUBE {EmGard 50W} Synthetic Oil
81	WHEELS MISC OPTIONS	<a href="#">0029580</a>	WHEEL SEALS, FRONT {International} Oil-Lubricated Wheel Bearings
82	WARRANTY	<a href="#">0040024</a>	WARRANTY Medium Duty Standard 24 Month
83		<a href="#">0410STB</a>	*** ERROR GETTING DECSRIPTION: SQLCODE = +00100
84		<a href="#">0410STE</a>	*** ERROR GETTING DECSRIPTION: SQLCODE = +00100
85		<a href="#">0410STL</a>	*** ERROR GETTING DECSRIPTION: SQLCODE = +00100
86	FRAMES	<a href="#">0501022</a>	SUPPORT, MOUNTING (2) for Center Bearing Hanger

			Bracket
87	MISC	<a href="#">0504057</a>	AIR TANK VOLUME IDENTITY Nominal 3484 CuIn System Capacity
88	SPEEDOMETER, TOOLS, MISC	<a href="#">0504104</a>	ENGINEERING ABS IDENTITY ABS-6
89	BRAKES	<a href="#">0504200</a>	DRAIN VALVE (3) Petcocks, for Air Tanks
90	BRAKES	<a href="#">0504306</a>	SLACK ADJUSTERS, FRONT {Meritor} Automatic
91	BRAKES	<a href="#">0504355</a>	SLACK ADJUSTERS, REAR {Meritor} Automatic
92	BRAKES	<a href="#">0504360</a>	AIR TANK Steel, with Straight Thread O-Ring Ports
93	BRAKES	<a href="#">0504396</a>	AIR DRYER LOCATION Mounted Inside Left Rail, Back of Cab
94	BRAKES	<a href="#">0504435</a>	BRAKE LININGS, REAR {Meritor R301} S-Cam Type; Non-Asbestos
95	BRAKES	<a href="#">0504438</a>	BRAKE LININGS, FRONT {Meritor MA212} Non-Asbestos for S-Cam Brake
96	BRAKES	<a href="#">0504441</a>	BRAKE IDENTITY, FRONT {Meritor Q-Plus}
97	BRAKES	<a href="#">0504442</a>	BRAKE IDENTITY, REAR {Meritor Q-Plus}
98	BRAKES	<a href="#">0504605</a>	AIR TANK LOCATION (2) Mounted Under Battery Box, Outside Left Rail, Back of Cab
99	DRIVELINES	<a href="#">0506001</a>	YOKE, TRANSMISSION OUTPUT
100	DRIVELINES	<a href="#">0506010</a>	YOKE, REAR-REAR AXLE, INPUT or Single Rear Axle Input
101	DRIVELINES	<a href="#">0506100</a>	DRIVELINE LABOR IDENTITY for Driveline Labor
102	DRIVELINES	<a href="#">0506102</a>	CENTER BEARING, FIRST XMBR
103	DRIVELINES	<a href="#">0506104</a>	CENTER BEARING, THIRD XMBR
104	DRIVELINES	<a href="#">0506105</a>	CENTER BEARING, FOURTH XMBR
105	DRIVELINES	<a href="#">0506110</a>	CENTER BEARING MTG. PARTS
106	EXHAUST SYSTEMS	<a href="#">0507010</a>	TAIL PIPE (1) Horizontal, Short, with Heat Diffuser
107	ELECTRICAL SYSTEMS	<a href="#">0508003</a>	BATTERY BOX Steel, with Plastic Cover, 2-3 Battery Capacity, Mounted Left Side Behind Fuel Tank
108	ELECTRICAL SYSTEMS	<a href="#">0508014</a>	TAIL LIGHT LOCATION Tail Lights Located on Inside of Frame Rail
109	MISC	<a href="#">0508051</a>	ELECTRICAL SYSTEM MUX for Body Controller (BC PROG) only
110	MISC	<a href="#">0508057</a>	ELECTRICAL SYSTEM MUX Rocker Switch in Loc E, Only for Use with Body Controller and Right Side of Cluster
111	SPEEDOMETER, TOOLS, MISC	<a href="#">0510000</a>	BULK MATERIAL
112	MISC	<a href="#">0510002</a>	SERVICE PARTS ASSEMBLIES

113	SPEEDOMETER, TOOLS, MISC	<a href="#">0510908</a>	ENGINEERING PROGRAM IDENTITY for Red Extended Life Coolant Effects
114	SPEEDOMETER, TOOLS, MISC	<a href="#">0510913</a>	VEPS PROG ENGINE SHUT DOWN Includes Warning Lights for; Low Oil Pressure, High Coolant Temperature, Low Coolant Level
115	SPEEDOMETER, TOOLS, MISC	<a href="#">0510924</a>	ENGINEERING PROGRAM IDENTITY for 2007 Refresh Common Effects
116	SPEEDOMETER, TOOLS, MISC	<a href="#">0510926</a>	ENGINEERING PROGRAM IDENTITY 76 Way Connector in lieu of 48 Way
117	SPEEDOMETER, TOOLS, MISC	<a href="#">0510936</a>	VEPS IDENTITY {Bendix} for EC-60 ABS
118	SPEEDOMETER, TOOLS, MISC	<a href="#">0510974</a>	ENGINEERING PROGRAM IDENTITY for 2010 EPA Emissions Standards
119	SPEEDOMETER, TOOLS, MISC	<a href="#">0510993</a>	VEPS IDENTITY Electronic Diagnostics
120	ENGINE	<a href="#">0512027</a>	VEPS PROG, AIR FLOW SENSOR Programmable Parameter #0 ; for Low Cab DuraStar, HC Bus, with EPA 10 MaxxForce DT Engine
121	REAR AXLES, SUSPENSIONS	<a href="#">0514001</a>	REAR SUSPENSION PARTS
122	CABS, COWLS, BODIES	<a href="#">0516003</a>	ACCESS, CAB Driver & Passenger Sides, Two Steps Per Door, for use with Day Cab or Extended Cab, Not with 13" Deep Fuel Tanks
123	CABS, COWLS, BODIES	<a href="#">0516100</a>	MIRROR, CONVEX Left Side Only, 7 3/4", In Addition to Standard Right Side Convex Mirror
124	CABS, COWLS, BODIES	<a href="#">0516104</a>	MIRROR, STYLE Rectangular, Non-Aerodynamic
125	CABS, COWLS, BODIES	<a href="#">0516116</a>	MIRROR HEATED EFFECTS All Heads, Both Sides, Thermostatically Controlled; with Mirror Heat Switch Mounted in Instrument Cluster
126	WHEELS MISC OPTIONS	<a href="#">0529001</a>	WHEEL BEARING, FRONT, LUBE
127	WHEELS MISC OPTIONS	<a href="#">0529002</a>	WHEEL BEARING, REAR, LUBE
128	MISC	<a href="#">0530100</a>	TIRES
129	BODY & CHASSIS PAINT	<a href="#">0535008</a>	PAINT CHASSIS COLOR GROUP No. 08
130	BODY & CHASSIS PAINT	<a href="#">0535911</a>	PAINT COLOR GROUP PT-11 No. 1; Identifies Material and Labor Cost for the 1st Paint Color of a 1- Tone, 2-Tone, 3-Tone or 4-Tone Paint Schematic Design
131	MISC	<a href="#">0595AAC</a>	BC PROG, KEY STATE
132	MISC	<a href="#">0595AAD</a>	BC PROG, BRAKE SWITCH
133	MISC	<a href="#">0595AAH</a>	BC PROG, LIGHTS ON W/WIPERS



134	MISC	<a href="#">0595AAL</a>	BC PROG, TURN SIGNALS/BRAKE with Combined Stop and Turns
135	MISC	<a href="#">0595AAP</a>	BC PROG, CRUISE CONT STEER WH
136	MISC	<a href="#">0595AAV</a>	BC PROG, HORN ELECTRIC
137	MISC	<a href="#">0595AAZ</a>	BC PROG, PARK BRAKE INDICATOR
138	MISC	<a href="#">0595ABA</a>	BC PROG, SEATBELT INDICATOR
139	MISC	<a href="#">0595ABB</a>	BC PROG, AIR PRESSURE GAUGES
140	MISC	<a href="#">0595ABC</a>	BC PROG, TRAILER LIGHTING
141	MISC	<a href="#">0595ABG</a>	BC PROG, ENGINE TYPE MFG International
142	MISC	<a href="#">0595ABK</a>	BC PROG, ENGINE COOLANT TEMP Gauge
143	MISC	<a href="#">0595ABL</a>	BC PROG, ENGINE OIL PRESS GAUG #1
144	MISC	<a href="#">0595ABN</a>	BC PROG, SPEEDOMETER
145	MISC	<a href="#">0595ABP</a>	BC PROG, VOLTMETER
146	MISC	<a href="#">0595ABV</a>	BC PROG, ABS INDICATOR for Hydraulic OR Air Brake Systems, Not Including Trailer
147	MISC	<a href="#">0595ADP</a>	BC PROG, CLUTCH SWITCH
148	MISC	<a href="#">0595ADR</a>	BC PROG, PRNDL No PRNDL, Manual Transmission
149	MISC	<a href="#">0595AER</a>	BC PROG, TACHOMETER 4000 RPM
150	MISC	<a href="#">0595AKY</a>	BC PROG, DOME LIGHTS
151	MISC	<a href="#">0595ALB</a>	BC PROG, HEADLIGHTS W/DRL Less Auto
152	MISC	<a href="#">0595ALW</a>	BC PROG, STOP/TURN/PK DIAGNOST OMIT
153	MISC	<a href="#">0595AMP</a>	BC PROG, HEATED MIRRORS in Push Button Location A
154	MISC	<a href="#">0595ANW</a>	BC PROG, DIAGNOSTICS LOCATION Display in Gauge Cluster
155	MISC	<a href="#">0595AXY</a>	BC PROG, FUEL TANK GAUGE Dual Right Side Draw
156	MISC	<a href="#">0595AYC</a>	BC PROG, WINDSHIELD WIPER without Low Washer Fluid Indicator
157	MISC	<a href="#">0595AYD</a>	BC PROG, LOW WASHER FLUID IND.
158	MISC	<a href="#">0595AZY</a>	BC PROG, EXTERIOR LIGHT CHECK Push Button "B"; for MD, RH, & SS
159	MISC	<a href="#">0595AZZ</a>	BC PROG, PARK / MARKER LIGHTS Dual Output, 20AMP
160	MISC	<a href="#">0595BBB</a>	BC PROG, ENGINE FAN OVERRIDE 2 for Low Air Pressure, No Switch
161	MISC	<a href="#">0595BBM</a>	BC PROG, ENGINE IDLE SHUTDOWN Indicator Light in Cluster Warning that Engine Ready to Shutdown, for 2010 Cluster
162	MISC	<a href="#">0595BHK</a>	BC PROG, HVAC In Cab with Switch Controls (Bergstrom)

163	MISC	<a href="#">0595BJB</a>	BC PROG, WAIT TO START IND. for 2010 Cluster
164	MISC	<a href="#">0595BJC</a>	BC PROG, EXHAUST CLOGGED IND. Indicator for Clogged Diesel Particulate Filter in Aftertreatment, for 2010 Cluster
165	MISC	<a href="#">0595BJD</a>	BC PROG, EXHAUST HIGH TEMP Indicator for High Exhaust Temperatures (Aftertreatment), for 2010 Cluster
166	MISC	<a href="#">0595BJH</a>	BC PROG, IP CONFIGURATION for MD, RH, & SS, for 2010 Cluster
167	MISC	<a href="#">0595BJJ</a>	BC PROG, PARKED REGEN SWITCH Aftertreatment, for 2010 Cluster
168	MISC	<a href="#">0595BJR</a>	BC PROG, LOGIC BUILDER Enabler, for 2010 Cluster
169	MISC	<a href="#">0595BKD</a>	BC PROG, BODY CONTROLLER for Truck Body Controller #2
170	MISC	<a href="#">0595BSE</a>	BC PROG, ENGINE PARAMETERS MaxxForce 9, 10, and DT Engines
171		<a href="#">0777253</a>	*** ERROR GETTING DECSRIPTION: SQLCODE = +00100