

Summary**VIN:3HAMMAAN1EL764130****General Information**

Customer Name:	HOGAN TRUCK LEASING, INC. 85 CORPORATE WOODS DRIVE BRIDGETON, MO 63044	Engine :	International : MAXXFORCE DT 230HP/2400 GOV EPA 2010, 230HP @ 2200 RPM, 620 lb-ft Torque @ 1300 RPM, 2400 RPM Governed Speed, 230 Peak HP (Max) (0012NUL)
Application:	Dry Van	Model:	4300 SBA 4X2
		Engine Serial Number:	466HM2Y3501660

Contact Name:	<input type="text" value="v"/>	Unit No:	Edit
Position:		Inspection Exp:	
Phone Number:		Notes:	No
Email Address:			
Customer ID:			
Contact Type:			
		OCC Authorization Form :	N/A

Warranty Information

Order Date:	01/29/2013	DTU Status:	DTU
Build Date:	03/25/2013	DTU Miles:	10 Miles
Warranty Start Date:	05/07/2013	Standard Warranty:	CTS-2475N ENGLISH <input type="text" value="v"/> View
Time In Service:	7 Years 10 Months	Diamond Spec:	No
DTU Engine Hours:	0	DTU Fuel Used:	0.
Extended Warranty Coverage:	No		

Managed Repair Information 



Open Recalls:	No	Open AFCs:	No
Open MRCs:	No	Open FSC:	No

Calibration Status

BCM Status:	Vehicle Calibration Scorecard
Electronic Feature(s):	Vehicle Calibration Scorecard

Details

Vehicle Information

VIN :	3HAMMAAN1EL764130	Order Date :	01/29/2013
Model :	4300 SBA 4X2	Build Date :	03/25/2013
Engine :		DTU Date :	04/17/2013
Application Family :	Van	Warranty Start Date :	05/07/2013
Application :	Dry Van	DTU Status :	DTU
Wheel Base :	266.0	DTU Odometer :	10 Miles
DTU Engine Hours :	0	DTU Fuel Used :	0.
GVWR :	33000	Original Gear Ratio :	529
PC Number :	L30404058	 Programmed Gear Ratio :	529 As Of: 09/24/2020
Paint Color Code :	9219	Order Number :	697920
Selling Dealer :	NAVISTAR, INC. (000649-000)	 After Frame :	96.5
Customer :	HOGAN TRUCK LEASING, INC.	Original Customer :	HOGAN TRUCK LEASING, INC.
Address :	85 CORPORATE WOODS DRIVE	Address :	85 CORPORATE WOODS DRIVE
City, State Zip :	BRIDGETON, MO 63044	City, State Zip :	BRIDGETON, MO 63044
Toe (MM/M)	N/A		
Forward Rear / Scrub (MM/M)	N/A		
Rear Rear / Thrust (MM/M)	N/A		

Components**Components****VIN : 3HAMMAAN1EL764130****174 components found.**

Export

S.No	Class Description	Parts Catalog Component	Description
1	FRAMES	0001CAG	FRAME RAILS Heat Treated Alloy Steel (120,000 PSI Yield); 10.250" x 3.610" x 0.375" (260.4mm x 91.7mm x 9.5mm); 456.0" (11582mm) Maximum OAL
2	FRAMES	0001LLD	BUMPER, FRONT Contoured, Steel
3	FRAMES	0001SAL	CROSSMEMBER, REAR, AF (1)
4	EXHAUST SYSTEMS	0001VZY	SUBSTITUTE BILL OF MATERIAL Inmagusa Frame Rails ILO Metalsa Frame Rails
5	FRAMES	0001WEK	WHEELBASE RANGE 256" (650cm) Through and Including 311" (790cm)
6	FRONT AXLES	0002ASC	AXLE, FRONT NON-DRIVING {Meritor MFS-12-122A} I-Beam Type, 12,000-lb Capacity
	FRONT		SUSPENSION, FRONT, SPRING Parabolic Taper Leaf,

7	SUSPENSIONS	0003ADC	Shackle Type, 12,000-lb Capacity, with Shock Absorbers
8	FRONT SUSPENSIONS	0003770	SPRINGS, FRONT AUXILIARY Rubber
9	BRAKES	0004AZA	AIR BRAKE ABS {Bendix AntiLock Brake System} 4-Channel (4 Sensor/4 Modulator) Full Vehicle Wheel Control System
10	BRAKES	0004EBS	AIR DRYER {Bendix AD-9} with Heater
11	BRAKES	0004ESX	BRAKE CHAMBERS, FRONT AXLE {Haldex} 20 SqIn
12	BRAKES	0004EVL	BRAKE CHAMBERS, REAR AXLE {Haldex GC3030LHDHO} 30/30 SqIn Spring Brake
13	BRAKES	0004JCG	BRAKES, FRONT, AIR CAM S-Cam; 15.0" x 4.0"; Includes 20 Sq. In. Long Stroke Brake Chambers
14	BRAKES	0004NDB	BRAKES, REAR, AIR CAM S-Cam; 16.5" x 7.0"; Includes 30/30 Sq.In. Long Stroke Brake Chamber and Spring Actuated Parking Brake
15	BRAKES	0004SBC	AIR COMPRESSOR {Bendix Tu-Flo 550} 13.2 CFM
16	BRAKES	0004091	BRAKE SYSTEM, AIR Dual System for Straight Truck Applications
17	STEERING	0005CAL	STEERING WHEEL 2-Spoke, 18" Dia., Black
18	STEERING	0005PSA	STEERING GEAR {Sheppard M100} Power
19	STEERING	0005708	STEERING COLUMN Tilting
20	EXHAUST SYSTEMS	0007BDA	EXHAUST SYSTEM Single, Horizontal, Aftertreatment Device, Frame Mounted Right Side Back of Cab, Includes Horizontal Tail Pipe
21	ELECTRICAL SYSTEMS	0008GHP	ALTERNATOR {Delco Remy 28SI} Brush Type, 12 Volt, 160 Amp Capacity, Pad Mount, with Remote Sense
22	ELECTRICAL SYSTEMS	0008HAB	BODY BUILDER WIRING Back of Day Cab at Left Frame or Under Sleeper, Extended or Crew Cab at Left Frame; Includes Sealed Connectors for Tail/Amber Turn/Marker/ Backup/Accessory Power/Ground and Sealed Connector for Stop/Turn
23	ELECTRICAL SYSTEMS	0008MVK	BATTERY SYSTEM {Deka/EAST PENN 9A31 AGM} Maintenance-Free, (2) AGM 12-Volt 1850CCA Total, Top Threaded Stud
24	ELECTRICAL SYSTEMS	0008THB	BACK-UP ALARM Electric, 102 dBA
25	ELECTRICAL SYSTEMS	0008WBW	JUMP START STUD Remote Mounted
26	ELECTRICAL SYSTEMS	0008WCK	POWER SOURCE, TERMINAL TYPE 2-Post
27	ELECTRICAL SYSTEMS	0008WPB	HEADLIGHTS Halogen, Composite Aero Design, with Daytime Running Lights

28	ELECTRICAL SYSTEMS	0008WPH	CLEARANCE/MARKER LIGHTS (5) {Truck Lite} Amber LED Lights, Flush Mounted on Cab or Sunshade
29	ELECTRICAL SYSTEMS	0008WPP	ENGINE SHUTDOWN Automatic; with 30 Second Delay, with International Engines
30	ELECTRICAL SYSTEMS	0008WPZ	TEST EXTERIOR LIGHTS Pre-Trip Inspection will Cycle all Exterior Lamps Except Back-up Lights
31	ELECTRICAL SYSTEMS	0008WRB	HEADLIGHTS ON W/WIPERS Headlights Will Automatically Turn on if Windshield Wipers are turned on
32	ELECTRICAL SYSTEMS	0008WWJ	INDICATOR, LOW COOLANT LEVEL with Audible Alarm
33	ELECTRICAL SYSTEMS	0008WXG	STARTING MOTOR {Mitsubishi Electric Automotive America 105P} 12-Volt, with Soft-Start
34	ELECTRICAL SYSTEMS	0008XAH	CIRCUIT BREAKERS Manual-Reset (Main Panel) SAE Type III with Trip Indicators, Replaces All Fuses
35	ELECTRICAL SYSTEMS	0008000	ELECTRICAL SYSTEM 12-Volt, Standard Equipment
36	ELECTRICAL SYSTEMS	0008518	CIGAR LIGHTER Includes Ash Cup
37	ELECTRICAL SYSTEMS	0008540	HORN, ELECTRIC (2) Trumpet Style
38	ELECTRICAL SYSTEMS	0008787	RADIO Accommodation Package, Less Radio, Includes Wiring and Antenna, with Multiple Speakers
39	FRONT END	0009HAD	GRILLE Chrome
40	FRONT END	0009HAN	INSULATION, UNDER HOOD for Sound Abatement
41	FRONT END	0009HBN	INSULATION, SPLASH PANELS for Sound Abatement
42	FRONT END	0009WAC	BUG SCREEN Mounted Behind Grille
43	FRONT END	0009WAY	FRONT END Tilting, Fiberglass, with Three Piece Construction
44	SPEEDOMETER, TOOLS, MISC	0010ESC	BOM SELECTION IDENTITY Use the Escobedo BOM when more than one BOM is possible
45	SPEEDOMETER, TOOLS, MISC	0010060	PAINT SCHEMATIC, PT-1 Single Color, Design 100
46	SPEEDOMETER, TOOLS, MISC	0010210	LABEL Emissions, Fuel Economy and Noise. DO NOT ORDER-FOR FACTORY USE ONLY
47	SPEEDOMETER, TOOLS, MISC	0010761	PAINT TYPE Base Coat/Clear Coat, 1-2 Tone
48	CLUTCH	0011001	CLUTCH Omit Item (Clutch & Control)
49	ENGINE	0012NUL	ENGINE, DIESEL {MaxxForce DT} EPA 2010, 230HP @ 2200 RPM, 620 lb-ft Torque @ 1300 RPM, 2400 RPM Governed Speed, 230 Peak HP (Max)

50	ENGINE	0012TSY	FAN DRIVE {Borg-Warner SA85} Viscous Type, Screw On
51	ENGINE	0012UAY	RADIATOR Aluminum; 2-Row, Cross Flow, Over Under System, 817 SqIn Louvered, with 262 SqIn CAC, with In Tank Oil Cooler
52	ENGINE	0012UXG	FEDERAL EMISSIONS for 2010; MaxxFace DT Engines
53	ENGINE	0012VBR	AIR CLEANER with Service Protection Element
54	ENGINE	0012VXT	THROTTLE, HAND CONTROL Engine Speed Control; Electronic, Stationary, Variable Speed; Mounted on Steering Wheel
55	ENGINE	0012WTA	FAN DRIVE SPECIAL EFFECTS Fan Cooling Ring with Fan Shroud Effects, Engine Mounted
56	ENGINE	0012WZE	EMISSION COMPLIANCE Federal, Does Not Comply with California Clean Air Idle Regulations
57	ENGINE	0012XAN	OBD COMPLIANCE for 2013 OBD (On Board Diagnostics)
58	ENGINE	0012959	BLOCK HEATER, ENGINE {Phillips} 120V/1250W
59	TRANSMISSION	0013ANT	TRANSMISSION, AUTOMATIC {Allison 2500_HS} 4th Generation Controls; Wide Ratio, 6-Speed, with Double Overdrive; Less PTO Provision, Less Retarder, with 33,000-lb GVW & GCW Max.
60	TRANSMISSION	0013WLN	TRANSMISSION OIL Synthetic; 20 thru 28 Pints
61	TRANSMISSION	0013WYK	SHIFT CONTROL PARAMETERS Allison Load Based Shift Schedules (LBSS)
62	REAR AXLES, SUSPENSIONS	0014ANU	AXLE, REAR, SINGLE {Meritor MS-21-14X-3DFL} Single Reduction, 21,000-lb Capacity, 190 Wheel Ends
63	REAR AXLES, SUSPENSIONS	0014TBS	SUSPENSION, REAR, AIR, SINGLE {International IROS} 21,000-lb Capacity, 9.25" Ride Height, with Shock Absorbers
64	REAR AXLES, SUSPENSIONS	0014WLB	AXLE, REAR, LUBE {EmGard 75W-90} Synthetic Oil; 30 thru 39.99 Pints
65	FUEL TANKS	0015DMW	FUEL TANK (2) Top Draw, Non-Polished Aluminum, D-Style, 16" Tank Depth, 50 US Gal (189L); Total Capacity 100 US Gal (378L), Mounted Left and Right Side, Under Cab
66	CABS, COWLS, BODIES	0016HBA	GAUGE CLUSTER English with English Electronic Speedometer
67	CABS, COWLS, BODIES	0016HKT	IP CLUSTER DISPLAY On Board Diagnostics Display of Fault Codes in Gauge Cluster
68	CABS, COWLS, BODIES	0016LJS	SEAT, DRIVER {National 2000} Air Suspension, High Back with Integral Headrest, Vinyl, Isolator, 1 Chamber Lumbar, 2 Position Front Cushion Adjustment, -3 to +14

			Degree Seat Back Angle Adjust, Dual Shocks
69	CABS, COWLS, BODIES	0016PHJ	SEAT, TWO-MAN PASSENGER {Gra-Mag} Fixed Back, Two Integral Headrest, Vinyl, Less Under Seat Storage Compartment
70	CABS, COWLS, BODIES	0016SDJ	MIRRORS (2) {Lang Mekra} Rectangular, Black Heads, Brackets & Arms, Breakaway Type, 7.44" x 14.84" & 7.44" sq. Convex Both Sides, 102" Inside Spacing,
71	CABS, COWLS, BODIES	0016WBY	ARM REST, RIGHT, DRIVER SEAT
72	CABS, COWLS, BODIES	0016WCT	AIR CONDITIONER {Blend-Air} with Integral Heater and Defroster
73	CABS, COWLS, BODIES	0016WJS	INSTRUMENT PANEL Center Section, Flat Panel
74	CABS, COWLS, BODIES	0016WLS	FRESH AIR FILTER Attached to Air Intake Cover on Cowl Tray in Front of Windshield Under Hood
75	CABS, COWLS, BODIES	0016WRX	CAB INTERIOR TRIM Deluxe
76	CABS, COWLS, BODIES	0016WSE	LOW WASHER FLUID INDICATOR
77	CABS, COWLS, BODIES	0016000	FLOOR COVERING Transmission Cover, Floor Mats and Seal DO NOT ORDER-FOR FACTORY USE ONLY
78	CABS, COWLS, BODIES	0016030	CAB Conventional, Day Cab
79	WHEELS, TIRES - FRONT	0027DMA	WHEELS, FRONT {Accuride} DISC; 22.5x8.25 Rims, Painted Steel, 2-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs
80	WHEELS, TIRES - REAR	0028DMA	WHEELS, REAR {Accuride} DUAL DISC; 22.5x8.25 Rims, Painted Steel, 2-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs
81	WHEELS MISC OPTIONS	0029WLA	WHEEL BEARING, FRONT, LUBE {EmGard 50W} Synthetic Oil
82	WHEELS MISC OPTIONS	0029580	WHEEL SEALS, FRONT {International} Oil-Lubricated Wheel Bearings
83	WARRANTY	0040024	WARRANTY Medium Duty Standard 24 Month
84		0410STB	*** ERROR GETTING DECSRIPTION: SQLCODE = +00100
85		0410STE	*** ERROR GETTING DECSRIPTION: SQLCODE = +00100
86		0410STL	*** ERROR GETTING DECSRIPTION: SQLCODE = +00100
87	FRAMES	0501022	SUPPORT, MOUNTING (2) for Center Bearing Hanger Bracket

88	MISC	0504057	AIR TANK VOLUME IDENTITY Nominal 3484 CuIn System Capacity
89	SPEEDOMETER, TOOLS, MISC	0504104	ENGINEERING ABS IDENTITY ABS-6
90	BRAKES	0504200	DRAIN VALVE (3) Petcocks, for Air Tanks
91	BRAKES	0504306	SLACK ADJUSTERS, FRONT {Meritor} Automatic
92	BRAKES	0504355	SLACK ADJUSTERS, REAR {Meritor} Automatic
93	BRAKES	0504360	AIR TANK Steel, with Straight Thread O-Ring Ports
94	BRAKES	0504396	AIR DRYER LOCATION Mounted Inside Left Rail, Back of Cab
95	BRAKES	0504438	BRAKE LININGS, FRONT {Meritor MA212} Non-Asbestos for S-Cam Brake
96	BRAKES	0504439	BRAKE LININGS, REAR {Meritor MA212} Non-Asbestos for S-Cam Brake
97	BRAKES	0504441	BRAKE IDENTITY, FRONT {Meritor Q-Plus}
98	BRAKES	0504442	BRAKE IDENTITY, REAR {Meritor Q-Plus}
99	BRAKES	0504605	AIR TANK LOCATION (2) Mounted Under Battery Box, Outside Left Rail, Back of Cab
100	DRIVELINES	0506001	YOKE, TRANSMISSION OUTPUT
101	DRIVELINES	0506010	YOKE, REAR-REAR AXLE, INPUT or Single Rear Axle Input
102	DRIVELINES	0506100	DRIVELINE LABOR IDENTITY for Driveline Labor
103	DRIVELINES	0506103	CENTER BEARING, SECOND XMBR
104	DRIVELINES	0506105	CENTER BEARING, FOURTH XMBR
105	DRIVELINES	0506110	CENTER BEARING MTG. PARTS
106	EXHAUST SYSTEMS	0507010	TAIL PIPE (1) Horizontal, Short, with Heat Diffuser
107	ELECTRICAL SYSTEMS	0508003	BATTERY BOX Steel, with Plastic Cover, 2-3 Battery Capacity, Mounted Left Side Behind Fuel Tank
108	ELECTRICAL SYSTEMS	0508014	TAIL LIGHT LOCATION Tail Lights Located on Inside of Frame Rail
109	MISC	0508051	ELECTRICAL SYSTEM MUX for Body Controller (BC PROG) only
110	MISC	0508057	ELECTRICAL SYSTEM MUX Rocker Switch in Loc E, Only for Use with Body Controller and Right Side of Cluster
111	MISC	0508058	ELECTRICAL SYSTEM MUX Rocker Switch in Loc F, Only for Use with Body Controller and Right Side of Cluster
112	SPEEDOMETER, TOOLS, MISC	0510000	BULK MATERIAL
113	MISC	0510002	SERVICE PARTS ASSEMBLIES

114	SPEEDOMETER, TOOLS, MISC	0510908	ENGINEERING PROGRAM IDENTITY for Red Extended Life Coolant Effects
115	SPEEDOMETER, TOOLS, MISC	0510913	VEPS PROG ENGINE SHUT DOWN Includes Warning Lights for; Low Oil Pressure, High Coolant Temperature, Low Coolant Level
116	SPEEDOMETER, TOOLS, MISC	0510924	ENGINEERING PROGRAM IDENTITY for 2007 Refresh Common Effects
117	SPEEDOMETER, TOOLS, MISC	0510926	ENGINEERING PROGRAM IDENTITY 76 Way Connector in lieu of 48 Way
118	SPEEDOMETER, TOOLS, MISC	0510935	VEPS IDENTITY for Allison Gen 4 Transmission
119	SPEEDOMETER, TOOLS, MISC	0510936	VEPS IDENTITY {Bendix} for EC-60 ABS
120	SPEEDOMETER, TOOLS, MISC	0510944	VEPS IDENTITY Shift Energy Management with Allison Transmissions
121	SPEEDOMETER, TOOLS, MISC	0510974	ENGINEERING PROGRAM IDENTITY for 2010 EPA Emissions Standards
122	SPEEDOMETER, TOOLS, MISC	0510993	VEPS IDENTITY Electronic Diagnostics
123	ENGINE	0512027	VEPS PROG, AIR FLOW SENSOR Programmable Parameter #0 ; for Low Cab DuraStar, HC Bus, with EPA 10 MaxxForce DT Engine
124	REAR AXLES, SUSPENSIONS	0514001	REAR SUSPENSION PARTS
125	CABS, COWLS, BODIES	0516003	ACCESS, CAB Driver & Passenger Sides, Two Steps Per Door, for use with Day Cab or Extended Cab, Not with 13" Deep Fuel Tanks
126	CABS, COWLS, BODIES	0516100	MIRROR, CONVEX Left Side Only, 7 3/4", In Addition to Standard Right Side Convex Mirror
127	CABS, COWLS, BODIES	0516104	MIRROR, STYLE Rectangular, Non-Aerodynamic
128	WHEELS MISC OPTIONS	0529001	WHEEL BEARING, FRONT, LUBE
129	WHEELS MISC OPTIONS	0529002	WHEEL BEARING, REAR, LUBE
130	MISC	0530100	TIRES
131	BODY & CHASSIS PAINT	0535008	PAINT CHASSIS COLOR GROUP No. 08
132	BODY & CHASSIS PAINT	0535011	IDENTITY STANDARD PAINT COLOR for Internal Order Coding
133	BODY & CHASSIS PAINT	0535911	PAINT COLOR GROUP PT-11 No. 1; Identifies Material and Labor Cost for the 1st Paint Color of a 1- Tone, 2-Tone, 3-Tone or 4-Tone Paint Schematic Design

134	MISC	0595AAC	BC PROG, KEY STATE
135	MISC	0595AAD	BC PROG, BRAKE SWITCH
136	MISC	0595AAH	BC PROG, LIGHTS ON W/WIPERS
137	MISC	0595AAL	BC PROG, TURN SIGNALS/BRAKE with Combined Stop and Turns
138	MISC	0595AAP	BC PROG, CRUISE CONT STEER WH
139	MISC	0595AAV	BC PROG, HORN ELECTRIC
140	MISC	0595AAZ	BC PROG, PARK BRAKE INDICATOR
141	MISC	0595ABA	BC PROG, SEATBELT INDICATOR
142	MISC	0595ABB	BC PROG, AIR PRESSURE GAUGES
143	MISC	0595ABC	BC PROG, TRAILER LIGHTING
144	MISC	0595ABG	BC PROG, ENGINE TYPE MFG International
145	MISC	0595ABK	BC PROG, ENGINE COOLANT TEMP Gauge
146	MISC	0595ABL	BC PROG, ENGINE OIL PRESS GAUG #1
147	MISC	0595ABN	BC PROG, SPEEDOMETER
148	MISC	0595ABP	BC PROG, VOLTMETER
149	MISC	0595ABV	BC PROG, ABS INDICATOR for Hydraulic OR Air Brake Systems, Not Including Trailer
150	MISC	0595AER	BC PROG, TACHOMETER 4000 RPM
151	MISC	0595AKY	BC PROG, DOME LIGHTS
152	MISC	0595ALB	BC PROG, HEADLIGHTS W/DRL Less Auto
153	MISC	0595ALW	BC PROG, STOP/TURN/PK DIAGNOST OMIT
154	MISC	0595AND	BC PROG, ECONOMY MODE LIGHT 95 for Allison Transmissions
155	MISC	0595ANW	BC PROG, DIAGNOSTICS LOCATION Display in Gauge Cluster
156	MISC	0595AXY	BC PROG, FUEL TANK GAUGE Dual Right Side Draw
157	MISC	0595AYC	BC PROG, WINDSHIELD WIPER without Low Washer Fluid Indicator
158	MISC	0595AYD	BC PROG, LOW WASHER FLUID IND.
159	MISC	0595AZY	BC PROG, EXTERIOR LIGHT CHECK Push Button "B"; for MD, RH, & SS
160	MISC	0595AZZ	BC PROG, PARK / MARKER LIGHTS Dual Output, 20AMP
161	MISC	0595BBB	BC PROG, ENGINE FAN OVERRIDE 2 for Low Air Pressure, No Switch
162	MISC	0595BBM	BC PROG, ENGINE IDLE SHUTDOWN Indicator Light in Cluster Warning that Engine Ready to Shutdown, for 2010 Cluster
			BC PROG, HVAC In Cab with Switch Controls

163	MISC	0595BHK	(Bergstrom)
164	MISC	0595BJB	BC PROG, WAIT TO START IND. for 2010 Cluster
165	MISC	0595BJC	BC PROG, EXHAUST CLOGGED IND. Indicator for Clogged Diesel Particulate Filter in Aftertreatment, for 2010 Cluster
166	MISC	0595BJD	BC PROG, EXHAUST HIGH TEMP Indicator for High Exhaust Temperatures (Aftertreatment), for 2010 Cluster
167	MISC	0595BJH	BC PROG, IP CONFIGURATION for MD, RH, & SS, for 2010 Cluster
168	MISC	0595BJJ	BC PROG, PARKED REGEN SWITCH Aftertreatment, for 2010 Cluster
169	MISC	0595BJK	BC PROG, RANGE INHIBITED WARN for 2010 Cluster
170	MISC	0595BJR	BC PROG, LOGIC BUILDER Enabler, for 2010 Cluster
171	MISC	0595BKD	BC PROG, BODY CONTROLLER for Truck Body Controller #2
172	MISC	0595BPL	BC PROG, PRNDL with 1000/2000 6 Speed Transmission with Sixth-Gear Disable not with Power Park or Park Pawl
173	MISC	0595BSE	BC PROG, ENGINE PARAMETERS MaxxForce 9, 10, and DT Engines
174		0777253	*** ERROR GETTING DECSRIPTION: SQLCODE = +00100