

U.S. Department of Transportation Federal Railroad Administration : LOCOMOTIVE INSPECTION AND REPAIR RECORD

In accordance with the Locomotive Inspection Act 36 State: 913, as amended and regulations issued pursuant to that Act, the parts and appurtenances of the locomotive unit have been inspected and all defects disclosed by the inspection have been properly repaired.

1. OPERATED	2006 Check if new	1000 1_1 11 1000 1		2. OWNED BY			
	ine & Atlantic R	ailway Ltd.		Montreal Maine	& Atlantic Ra	RR Co	
	4. LOCO NO.					ERVICE: PASSENGER []	
230⁴7.	5023	1979	BY D-E	3000	ROAD[X] YARD[] OTHER[]		
). STEAM GEN	GEN. #1 N/A	Working Pressu	re ·	GEN. #2 N/A Wo	rking Pressure		
0. MAXIMUM F	PISTON TRAVEL 4	Inches	TYPE OF AIR B	RAKE	11. OUT OF US	SE CREDIT	
2. LAST PERIO 12/27/2005	ODIC INSPECTIO 5	N DATE		PLACE Derby Maine			
			PERIODIC IN	ISPECTIONS			
13. DATE	14. PLACE	15	16. PERSON	15	And the second second second	17. CERTIFIED BY	
MO DAY YR		ITEMS	CONDUCTING		CONDUCTING		
3/3/1/2006	Derby, Me.	1-4&7	Agret	3&5	XQ. Tooter	the fit	
07-06-06	Doby, Me	1-417	Dmul.	345	Milch	Stan h Ult	
	1/4						
0-9-06					2 1	\mathcal{L}_{α}	
- >/)	Derby MC	1-4+7	Dive	3+5	11, Whe	norman le Blan	
					i and the second		
			1 x			A CONTRACTOR OF THE CONTRACTOR	
		**					
		\ \					
SAFEN CAPPE	: [1]BRAKES [2]R	UNNING GEAR	[3]CAB EQUIP.	[4]MECH. EQUIP [5	JELECT. EQUIP	[6]STEAM GEN [7]SAFETY APPL	
TESTS		RESURE NAMER PART-229 PRESSURE NAMER PRESSURE NAMER			20. WAIVER-OTHER N/A		
TYPE	· · · · · · · · · · · · · · · · · · ·	· / / / / / / / / / / / / / / / / / / /	22. TEST DÄTE AND PLACE	23 CERTIFIED	24. PREVIOUS TEST DATE AND PLACE		
METER		9 3 7 8 E 4		Shit hit	3/25/2005 Derby Maine		
HAMMER &	736 CALENDAR	/ Yerr			12.0		
HYDRO	DAYS	to a		1	DRILLED		
AIRBRAKE	368 CALENDAR	1.1	√ 3/31/2006		: 53/25/2005	AND A ALEXANDERS OF THE STATE O	
229.27.	DAYS	were,	Derby Me.	Muffine	Derby Maine	77-27-36-36-36-36-36-36-36-36-36-36-36-36-36-	
ARBRAKE.	NUMBER OF	Sur.			9/7/2004		
229.29	CALENDAR				Derby Maine		
TOTIC CONTRACTOR	NORTRUE COPY						
· · · · · · · · · · · · · · · · · · ·	M. A. 1880	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	INSPECTION AN	ID REPAIR RECORD) OF LOCO	TWIE AND EDGG V	
	TING IS TO E	OUT OF THE	MOPEUTION AN	IN VELVIX VECOKI	J OF LOCUMEN	VE NO SUES / PAGE 1	
					(The	WILL TO THE SECOND STATES	
		1/4			Officer to ch	arge	
ATTENT	ON: A false entry	on this form is b	onishable by fine	us imprisonment (U.			
	F6180-49 A (5-					I No. 2 30-000	

CONFIDENTIAL MMA-0001551

MENT PROPERTY DO NOT REMOVE

INSTRUCTIONS

- 1 OPERATED BY: Enter the name and code* of the railroad primarily responsible for operating the locomotive at the time the report is placed in the locomotive. Operator changes, including dates, shall be noted in "Remarks."
- 2 OWNER: Enter the name and code* of the owner. Changes in ownership shall be submitted in final reports.
- 3 MODEL NO.: Enter the original builder's model number.
- 4 LOCOMOTIVE NO.: Enter only the locomotive number. Include letters only if they are part of the locomotive markings.

 If the locomotive number is changed, include the information at the top of the form.
- 5 YEAR BUILT: Enter the year the locomotive was built or rebuilt.
- 6 PROPELLED BY: Enter Diesel-Electric (D-E), Electric (E), MU, MU Control Cab (MUC), Mom-MU Control Cab (NMUC), Turbo (T), Torque Converter (TC), Other (O)
- 7 HORSEPOWER: Enter horsepower rating.
- 8 TYPE OF SERVICE: Enter type of service the locomotive is assigned to when the report is placed in the locomotive.
- 9 Enter steam generator number(s) and safe working presssure(s).
- 10 Enter maximum piston travel. Enter only "Nominal" travel and do not include Manufacturer's Tolerances.

 Also include type of AIR BRAKE.
- 11 Enter number of creditable calendar days the locomotive was out-of-use. Less than 30 consecutive calendar days for any out-of-use period may not be counted. Any entry "out-of-use from______to______" shall be made on an inspection line and certified when a locomotive is not in use when an inspection would otherwise be due. If the locomotive is out-of-use at the end of the reporting period, complete the "To" entry with the last day of the period. The entry on the replacement report should then record the "From" as the beginning of the new period.
- 12 LAST PERIODIC INSPECTION AND TESTS: This report covers annual periods (January 1 to December 31). The report of the preceding annual period shall be considered by Section 229.23 (e). When a new form 6180.49A is placed in the locomotive, enter the last periodic inspection information onto the new form in item 12 and the test information from item 24. Tests that are not applicable should be noted "NA".

<u>INSPECTIONS AND TESTS</u>: Persons making the required tests and periodic inspections shall sign for the items tested or inspected. The employee's supervisor shall certify that the tests and inspections were completed.

<u>TESTS</u>: Where the carrier has chosen to fragment air brake cleaning, repairing and testing required by Sections 229.27 & 229.29, an air record shall be maintained in the cab of the locomotive.

- 18 H & H: Enter test pressure from hydrostatic test (freservoirs are drilled, enter word :Drilled"

 CODE*: Carriers shall enter only the code assigned by FRA to their railroad.
- 19 Any waivers of any type from a requirement of 49CFR Part 229 shall be identified in block 19 by its waiver number or by the section number affected. Explanatory information regarding the scope and content of the waiver shall be included under a section number affected. Explanatory information regarding the scope and content of the waiver shall be included under a section number affected.
- 20 Any waiver from any FRA requirement other than a requirement of 49CFR Part 229 shall be identified in block No. 20 by its waiver number or by the part and section number affected Explanatory information regarding the scope and content of the waiver shall be included under "Remarks".
- 21 Under Tests (AIR BRAKE 229.29), Fill in the number of calendar days subject air brake equipment is subjected to cleaning, repairing and testing.

REPAIRS: Defects not properly repaired.

NOISE: Enter any noise tests or related information in accordance with 49CFR 210.31.

OUT OF SERVICE CREDITS

OUT-OF-USE FROM

S: The carriers should enter under "Remarks" any other clarifying or explanatory information.
"MAIN RESERVOIR SAFETY VALVE SET FOR 150 PSI"

CONFIDENTIAL MMA-0001552